

GEDORE

2022

TOTAL RANGE CATALOGUE



GSA Range www.gedore.co.za

YOUR WORLD OUR TOOLS



8

MOBILE TOOL STORAGE



10

SPANNERS



32

TORQUE WRENCHES



24

SOCKET SETS















34

SCREWDRIVERS



CONTENTS

	TOOL ASSORTMENTS	2 – 7
	MOBILE TOOL STORAGE	8 – 9
	SPANNERS	10 – 13
	RANGE OF SOCKETS	14 – 23
	SOCKET SETS	24 – 31
	TORQUE WRENCHES	32 – 33
	SCREWDRIVERS AND BITS	34 – 37
	PLIERS	38 – 43
	STRIKING TOOLS	44 – 47
	MEASURING	48 – 49
	CUTTING / FILING / DRILLING	50 – 53
	1000 V	54 – 55
	AUTOMOTIVE	56 – 57
	MERCHANDISING	58 – 61
	ARTICLE INDEX	62 – 64

TOOL ASSORTMENTS

FULLY
EQUIPPED



COMBINABLE ALL-ROUND CAREFREE PACKAGES

- Assortments and modules can be combined with GEDORE red tool storage
- The perfect equipment for different areas of application, ready to use

R2160 0060
TOOL ASSORTMENT
62 pieces



> All tools are packed in plastic inserts

> Stored in a rigid sheetmetal toolbox

Code	No.	Contents	Contents	Pieces	kg
3365000	R21020060 (Tools only)	1/2" Bi-Hex Socket: 8 10 11 12 13 14 15 16 17	R20660067 Toolbox	61	6.200
3365004	R21600060 (In toolbox)	18 19 21 22 24 26 27 28 30 32 Comb. spanners: 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	R36605009 Allen key set 1.5 2 2.5 3 4 5 6 8 10 R60000027 Reversible ratchet R65100014 Extension 75mm R65100024 Extension 125mm R65100049 Extension 250mm R28302200 Combination pliers R28502200 Telephone pliers R28100010 Water pump pliers R38002006 Screwdriver set \ominus 3 5.5 6.5mm \oplus PH0 PH1 PH2 R65200049 Sliding T-bar R28422180 Side cutters R27200010 Curved jaw locking pliers	62	17.000

R2160 0065
UNIVERSAL TOOL ASSORTMENT
65 pieces



> All tools are packed in plastic inserts

> Stored in a rigid sheetmetal toolbox

Code	No.	Contents	Contents	Pieces	kg
3365001	R21020065 (Tools only)	1/2" Bi-Hex Socket: 8 10 11 12 13 14 15 16 17	R20660067 Toolbox	64	6.200
3365005	R21600065 (In toolbox)	18 19 21 22 24 26 27 28 30 32 Comb. spanners: 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	R92160004 Hammer R36605009 Allen key set 1.5 2 2.5 3 4 5 6 8 10 R60000027 Reversible ratchet R65100014 Extension 75mm R65100024 Extension 125mm R65100049 Extension 250mm R65300012 Universal joint R28302200 Combination pliers R28502200 Telephone pliers R28100010 Water pump pliers R38002006 Screwdriver set \ominus 3 5.5 6.5mm \oplus PH0 PH1 PH2 R94550005 Tape measure R65200049 Sliding T-bar R28422180 Side cutters R27200010 Curved jaw locking pliers	65	18.000

WWW.GEDORE.CO.ZA

R2143 0113
TOOL ASSORTMENT
113 pieces



- > Lockable.
- > Three easy-slide drawers, incorporating full extension ball bearing slide mechanisms.
- > Retractable spring-loaded handles.
- > Four-compartment rigid sheetmetal tool chest.
- > Central drawer locking mechanism.
- > Plastic inserts.
- > Dimensions: 520 x 310 x 230mm.

Code	No.	Contents	Pieces	
3365008	R21430113		113	18.100



(1) 50PC SOCKET & ACCESSORIES SET W/BLACK PS TRAY

- 13 Piece-1/4 DR. 6PT Sockets:(CR-V)
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 19 Piece-1/2. 6PT Sockets:(CR-V)
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 28, 30, 32mm
- 4 Piece-1/2, 6PT Deep Sockets:(CR-V)
14, 15, 17, 19mm
- 1 Piece-1/4, Quick-Release Ratchet Handle (72 Teeth)(CR-V) DR,
- 1 Piece-1/4 Universal Joint (CR-V)
- 2 Piece-1/4 50 & 100mm Extension (CR-V)
- 1 Piece-1/4 Sliding T-Bar. (CR-V)
- 1 Piece-1/4 6-1/2 Spinner Handle with Extension. (CR-V)
- 1 Piece-1/2 Quick-Release Ratchet Handle (72 Teeth)(CR-V)
- 2 Piece-1/2 16 21mm (6PT) Spark Plug Socket (CR-V)
- 1 Piece-1/2 Universal Joint (CR-V)
- 1 Piece-1/2 Coupler Adaptor (CR-V)
- 3 Piece-Hex Key Wrenches (CR-V): 1.5, 2, 2.5 MM



(2) 46PC DEEP SOCKET & BIT & BIT SOCKET & PLIERS SET W/BLACK PS TRAY

- 8 Piece-1/4 6PT Deep Sockets:(CR-V)
6, 7, 8, 9, 10, 11, 12, 13mm
- 2 Piece-1/2 125 & 250mm Extension Bar (CR-V)
- 1 Piece-3/8 (F)x1/2 (M) T-Bar Adaptor. (CR-V)
- 1 Piece-250mm (10) Water Pump Pliers.
- 1 Piece-r LI Mesman Cutter Pliers.
- 18 Piece-1/4. Bit Sockets:(BIT:S2, ZINC Phosphate Finished; Socket:CR-V)
4 Piece-HEX: 3, 4, 5, 6 MM
3 Piece-SLOTTED: 4, 5.5, 6.5 MM
2 Piece-PHILLIPS: PH1, PH2
2 Piece-POZI: PZ1, PZ2
7 Piece-STAR: T8, T10, T15, T20, T25, T27, T30
- 15 Piece-5/16 BITS:(L:30mm)(S2)(ZINC PHOSPHATE FINISHED)
4 Piece-HEX: 8, 10, 12, 14mm
3 Piece-SLOTTED: 8, 10, 12mm
2 Piece-PHILLIPS: PH3, PH4
2 Piece-POZI : PZ3, PZ4
4 Piece-STAR: T40, T45, T50, T55
- 1 Piece-1/2 Drive 5/16 Coupler Adaptor (CR-V)



(3) 17PC WRENCH & EXTENSION BAR SET W/BLACK PS TRAY

- 17PC-Combination Spanners:(CR-V)
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm

R2100 0108
UNIVERSAL SET
108 pieces



- > All tools are stored in a tool case
- > Made of ABS, high thickness ABS vacuum formed shells


Code	No.	Contents	Pieces	
3301642	R21000108	2C reversible ratchet 1/2" 250 mm Extension 1/2" 125 250 mm	108	8.600
3301645	R21650108	Cardan joint 1/2" 66 mm Socket 1/2" hexagonal 8 10 11 12 13 14 15 16 17 18 19 22 24 27 30 32 mm CK reversible ratchet 1/4" 150 mm Extension 1/4" 100 mm Socket 1/4" hexagonal 4.4.5.5.5.6.7.8.9.10.11.12.13.14 mm Bit box, 32 pcs. Bit screwdriver 210 mm Cardan joint 1/4" 33 mm 2x plug-in bar 8" Insert holder 1/4" + 1/2" for plug-in bar Combination ratchet spanner 8 9 10 11 12 13 14 15 17 19 mm	109	13.400
		Screwdriver slot 3 4 5,5 6,5 mm Screwdriver cross recess PH 1 2 Offset screwdriver 1.5 2.2 5 3 4 5 6 8 10 mm Combination pliers 180 mm Power side cutter 200 mm Flat-nose pliers, straight 200 mm Water pump pliers 10" 250 mm Metalworker's hammer 500 g Flat chisel 150 mm Centre punch 4 mm 120 mm Pin punch 4 mm 120 mm Piercing punch 4 mm 150 mm Cutter knife with pencil sharpener 175 mm Tape measure 5 m		

R2156 0060
WORKSHOP TOOLKIT
 218 pieces



Code	No.	Contents	Pieces	kg
3365002	R21010060	R20160006 Tool Trolley	217	17.400
	(Tools Only)	1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth 150 mm		
3365003	R2150060	1/4" square plug-in handle 165 mm	218	78.000
	(Tool Assortment in Trolley)	1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 25 mm		
		1/4" socket hexagon 4 5 6 7 8 9 10 50 mm		
		1/4" socket TX E4 E5 E6 E7 E8 25 mm		
		1/4" screwdriver bit socket in-hex 4 4 5 6 37 mm		
		1/4" screwdriver bit socket slotted 4 5.5 6.5 7 37 mm		
		1/4" screwdriver bit socket cross-head PH 0 1 2 37 mm		
		1/4" screwdriver bit socket cross-head PZ 0 1 2 37 mm		
		1/4" screwdriver bit socket TX T8 T9 T10 T15 T20 T25 T27 T30 37 mm		
		1/4" screwdriver bit socket TX with drill hole T8 T9 T10 T15 T20 T25 T27 T30 37 mm		
		1/4" socket extension 50 100 mm		
		1/4" sliding T-bar with slider 115 mm		
		1/4" universal joint 32 mm		
		Bit adapter 1/4" sq. x 1/4" hex 25 mm		
		1/4" bits TX T5 T6 T7 25 mm		
		1/4" bits TX with drill hole T7 25 mm		
		1/4" bits TX plus security T10 T15 T20 T25 T27 T30 T40 T45 25 mm		
		1/4" bits multi-point XZN M5 M6 M8 25 mm		
		1/4" bits keyway M5 M6 M7 M8 M9 25 mm		
		5/16" bits in-hex 7 8 10 12 14 30 mm		
		5/16" bits slotted 8 10 12 30 mm		
		5/16" bits cross-head PH 3 4 30 mm		
		5/16" bits cross-head PZ 3 4 30 mm		
		5/16" bits TX T40 T45 T50 T55 T60 T70 30 mm		
		5/16" bits TX with drill hole T40 T45 T50 T55 T60 T70 30 mm		
		3/8" 2C lever reversible ratchet, fine-toothed, 72 teeth 180 mm		
		3/8" socket hexagon 10 11 12 13 14 15 16 17 18 19		
		3/8" socket hexagon 10 11 12 13 14 15 63 mm		
		3/8" socket TX E10 E11 E12 E14 E16 E18		
		3/8" spark plug socket 18 mm 65 mm		
		3/8" socket extension 150 mm		
		3/8" universal joint 49 mm		
		Bit adapter 3/8" square x 5/16" hex 30 mm		
		1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth 250 mm		
		1/2" socket hexagon 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32		
		1/2" socket hexagon 16 17 18 19 22 77 mm		
		1/2" socket 1/2 TX E20 E24		
		1/2" spark plug socket 16 21 mm 65 mm		
		1/2" socket extension 125 250 mm		
		1/2" universal joint 66 mm		
		Socket extension piece/slider 3/8" x 1/2" 44 mm		
		Bit adapter 1/2" square x 5/16" hex 38 mm		
		Hexagon socket key 1.5 2 2.5 3 4 5 6 mm		
		Combination Spanners 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 mm		
		Pliers Combination pliers - 180mm, Side Cutters - 160mm, Telephone Pliers - 200mm,		
		Water Pump Pliers, Locking Pliers		
		Screwdrivers Slotted 3 5.5 6.5mm, Cross-Slotted PH0 PH1 PH2		
		Ball Pein Hammer 3/4		
		Allen Keys 1.5 2 2.5 3 4 5 6 8 10		
		Adjustable Wrench 250mm		
		Digital Caliper		
		Heavy Duty Cutting Knife		
		Tape Measure 5M		
		Torch		

R2156 0113
TOOL ASSORTMENT
119 pieces



NEW

- > Ideal for the professional workshop.
- > Rigid sheetmetal structure.
- > Five standard and one deep easy-slide drawers incorporating extra strong ball bearing slider mechanisms.
- > Central drawer locking mechanism.
- > Two swivel castors (one with safety brake) for maximum mobility and safety.
- > Handle for easy manoeuvrability.
- > Load capacity of 300kg.
- > Load capacity per drawer 35kg.
- > Black powder coated.
- > Drawer latch incorporated into each drawer.
- > L=651 x W=585 x H=877mm.

Code	No.	Contents	Pieces	
			119	78.000
3365009	R21560113 (Tool Assortment in Trolley)	13 Piece-1/4 DR. 6PT Sockets:(CR-V) 4, 4, 5, 5, 5, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm 19 Piece-1/2. 6PT Sockets:(CR-V) 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 28, 30, 32mm 4 Piece-1/2, 6PT Deep Sockets:(CR-V) 14, 15, 17, 19mm 1 Piece-1/4, Quick-Release Ratchet Handle (72 Teeth)(CR-V) DR, 1 Piece-1/4 Universal Joint (CR-V) 2 Piece-1/4 50 & 100mm Extension (CR-V) 1 Piece-1/4 Sliding T-Bar. (CR-V) 1 Piece-1/4 6-1/2 Spinner Handle with Extension. (CR-V) 1 Piece-1/2 Quick-Release Ratchet Handle (72 Teeth)(CR-V) 2 Piece-1/2 16 21mm (6PT) Spark Plug Socket (CR-V) 1 Piece-1/2 Universal Joint (CR-V) 1 Piece-1/2 Coupler Adaptor (CR-V) 3 Piece-Hex Key Wrenches (CR-V): 1.5, 2, 2.5 mm 8 Piece-1/4 6PT Deep Sockets:(CR-V) 6, 7, 8, 9, 10, 11, 12, 13mm 2 Piece-1/2 125 & 250mm Extension Bar (CR-V) 1 Piece-3/8 (F)x1/2 (M) T-Bar Adaptor. (CR-V) 1 Piece-250mm (10) Water Pump Pliers. 1 Piece-Linesman Cutter Pliers. 18 Piece-1/4. Bit Sockets:(BIT:S2, ZINC Phosphate Finished; Socket:CR-V) 4 Piece-HEX: 3, 4, 5, 6 MM 3 Piece-SLOTTED: 4, 5.5, 6.5 MM 2 Piece-PHILLIPS: PH1, PH2 2 Piece-POZI: PZ1, PZ2 7 Piece-TORX®: T8, T10, T15, T20, T25, T27, T30 15 Piece-5/16 BITS:(L:30mm)(S2)(ZINC Phosphate Finished) 17PC-Combination Spanners:(CR-V) 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm		

WWW.GEDORE.CO.ZA

R2188 0019

TOOL PANEL STARTER KIT

19 pieces



Code	No.	Contents	Pieces	Weight
663356	R21880019 (Tools Panel with Tools)	R0910 Combination spanners 8 9 10 11 13 14 17 19mm R38002006 Screwdriver set Slotted: 3 5.5 6.5mm Cross-slotted: PH0 1 2 R28302200 Combination Pliers 200mm R28100010 Water Pump Pliers R92420019 Claw Hammer R94550005 Tape Measure 5M R93210000 Heavy-Duty Utility Knife Tool Panel Large Storage Tray PA-H1 Hook: 1-Pin, 20 Piece	19	4.920



MOBILE TOOL STORAGE



**ORGANISED.
SMART**

i

STORE, ORGANISE AND TRANSPORT

- The right tool storage for every application, from simple transport solutions to mobile workstations
- Robust materials and stable constructions for a long service life
- Tool trolleys and workbenches can be combined with foam modules or plastic inserts for optimum workplace organisation

R2066 0067 TOOLBOX

5 compartments, empty



- > Smooth and easy opening and closing
- > Maximum access to bottom and middle tray
- > Five compartments
- > Lockable, phosphated and powder coated to prevent corrosion

Code	No.	W	D	H	
3301840	R20660067	460	248	220	6.200

R21020113 TOOL CHEST

4 compartments, empty

**NEW**

- > Lockable.
- > 3 drawers with telescopic full-extension runners
- > Retractable spring-loaded handles.
- > Four-compartment rigid sheetmetal tool chest.
- > Central drawer locking mechanism.

Code	No.	W	D	H	
3365006	R21020113	520	310	230	8.750

R2024 0003 TOOL CHEST WINGMAN

with 3 drawers, empty

**NEW**

- > Four-compartment rigid sheetmetal tool chest.
- > Load capacity 35 kg per drawer
- > Generous storage under lid, lid with brake,
- opening angle 90 degrees, usable as work surface

Code	No.		H	W	D	
3301696	R20240003	Drawers: 3x H 83 mm compartment: H 70 x W 520 x D 400 mm	446	724	470	40.000

R2016 0006

WORKSHOP TROLLEY MECHANICS

6 drawers, empty



- > In strong, sheetmetal construction, ideal for the professional workshop
- > Individual locking device on every drawer prevents them from opening when the trolley is in motion
- > Load capacity of 35kg per drawer
- > Central drawer locking mechanism, supplied with two keys
- > Two swivel castors, (one with safety brake)
- > Load capacity of 300kg
- > Red and black powder coated
- > Handle for easy manoeuvrability

Code	No.	MAX load capacity	H	W	D	
3301839	R20160006	300	877	651	585	48.000

R2020 0007

WORKSHOP TROLLEY WINGMAN

with 7 drawers, empty

**NEW**

- > In strong, sheetmetal construction, ideal for the professional workshop
- > 7 drawers with telescopic, full-extension runners with individual locking (one-hand operation)
- > Load capacity 35 kg per drawer
- > Central drawer locking mechanism, supplied with four keys

Code	No.		H	W	D	
3301690	R20200007	5 x H = 83 mm 2 x H = 155 mm	1.034	724	470	80.000

R2040 0006

TOOL TROLLEY MECHANIC

with 6 drawers, empty

**NEW**

- > Large storage space with adjustable shelf, separately lockable
- > In strong, sheetmetal construction, ideal for the professional workshop
- > 6 drawers with telescopic, full-extension runners
- > Load capacity 25 kg per drawer
- > Central locking with cylinder lock with 4 keys
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish

Code	No.		H	W	D	
3301818	R20400006	4 x H 69 mm 1 x H 144 mm 1 x 218 mm	935	988	431	81.000

SPANNERS

LEGEND



TOOLS WITH PURPOSE

- Large assortment with versatile solutions from open-end to ring and ratchet spanners
- Optimised head heights and widths as well as jaw positions for efficient working angles
- Matt-satin surfaces for glare-free work

R0910XXXX
COMBINATION
SPANNERS
metric



- > Acc. to DIN 3113, Form A, ISO 3318, ISO 7738
- > Ring offset to 15°
- > Jaw set at 15°

Code	No.	Ø mm	↳ mm	kg
3300962	R09100060	6	95	0.016
3300963	R09100070	7	105	0.018
3300964	R09100080	8	110	0.024
3300965	R09100090	9	120	0.031
3300966	R09100100	10	130	0.035
3300967	R09100110	11	140	0.035
3300968	R09100120	12	153	0.050
3300969	R09100130	13	163	0.072
3300970	R09100140	14	173	0.075
3300971	R09100150	15	185	0.090
3300972	R09100160	16	198	0.105
3300973	R09100170	17	210	0.120
3300974	R09100180	18	220	0.155
3300975	R09100190	19	230	0.107
3300976	R09100200	20	240	0.200
3300977	R09100210	21	252	0.240
3300978	R09100220	22	262	0.220
3300979	R09100230	23	262	0.280
3300980	R09100240	24	282	0.300
3300981	R09100250	25	292	0.330
3300982	R091002260	26	302	0.360
3300983	R09100270	27	310	0.400
3300984	R091002280	28	320	0.435
3300985	R09100290	29	330	0.475
3300986	R09100300	30	340	0.500
3300987	R09100320	32	360	0.700

R0910XXXX
COMBINATION
SPANNER SETS



- > Acc. to DIN 3113, Form A, ISO 3318, ISO 7738
- > Jaw set at 15°
- > In the holder

Code	No.	Contents	Pieces	kg
3300988	R09105008	8 9 10 11 13 14 17 19 mm	8	0.600
3300990	R09105012	10 11 12 13 14 17 19 22 24 27 30 32 mm	12	2.500
3300994	R09105017	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm	17	1.800
3300991	R09105021	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 mm	21	4.712

R0710XXXX
COMBINATION
RATCHET SPANNERS
metric



- > Based on DIN 3113, ISO 3318
- > Straight pattern
- > Jaw set at 15°

Code	No.	Ø mm	↳ mm	kg
3300828	R07100080	8	136	0.047
3300829	R07100090	9	143	0.065
3300830	R07100100	10	160	0.066
3300831	R07100110	11	168	0.077
3300832	R07100120	12	174	0.085
3300833	R07100130	13	180	0.100
3300834	R07100140	14	193	0.110
3300835	R07100150	15	200	0.149
3300836	R07100160	16	216	0.180
3300837	R07100170	17	233	0.200
3300838	R07100180	18	239	0.220
3300839	R07100190	19	250	0.248
3300840	R07100200	20	285	0.410
3300841	R07100210	21	285	0.412
3300842	R07100220	22	285	0.402
3300843	R07100240	24	325	0.504

R0720XXXX
COMBINATION
RATCHET SPANNER
SET reversible,metric



- > Based on DIN 3113, ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > Ratchet mechanism with 72 teeth
- > In the holder

Code	No.	Contents	Pieces	kg
3300872	R07205005	8 10 13 17 19 mm	5	0.688
3300873	R07205012	8 9 10 11 12 13 14 15 16 17 18 19 mm	12	1.576

R0720XXXX
COMBINATION
RATCHET SPANNER
SET with adapters,
metric, 12 pieces



- > In accordance with DIN 3113 ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > Ratchet mechanism with 72 teeth
- > In rugged plastic case

Code	No.	Contents	Pieces	kg
3300059	R07203012	Combination ratchet spanners 8 10 12 13 15 17 18 19 mm Square end drive adaptor 1/4" for Size 10 mm, 3/8" for Size 13 mm, 1/2" for Size 19 mm Bit adaptor 1/4" for Size 10mm	12	15.680

R4700 1004
SQUARE DRIVE ADAPTER SET
for ratchet spanners, 4 pieces



- > For secure connection of ratchet wrench and socket
 - > Push-button release
 - > Square drive in acc. with DIN 3120, ISO 1174, with ball locking device
 - > Bit holder with hexagon drive in acc. with DIN 3126 - C
- 6.3 (1/4")
 > Matt chrome-plated
 > Chrome-vanadium steel
 WHILE STOCKS LAST

Code	No.	Contents	Pieces	kg
3300061	R47001004	External hex 19 mm x external sq. 1/2" for sockets External hex 13 mm x external sq. 3/8" for sockets External hex 10 mm x external sq. 1/4" for sockets External hex 10 mm x in-hex 1/4" for all 1/4" bits	4	0.100

R0110XXXX
DOUBLE RING
SPANNER
metric



- > Acc. to DIN 838, ISO 3318, ISO 1085, ISO 10104
- > 5° offset
- > Thin-walled rings
- > Chrome-vanadium steel
- > Matt satin chrome-plated finish

WHILE STOCKS LAST

Code	No.	mm	mm	kg
3300901	R01100607	6 x 7	175	0.055
3300902	R01100809	8 x 9	185	0.070
3300904	R01101011	10 x 11	198	0.090
3300906	R01101213	12 x 13	215	0.115
3300908	R01101415	14 x 15	228	0.150
3300909	R01101617	16 x 17	246	0.190
3300910	R01101719	17 x 19	268	0.235
3300911	R01101819	18 x 19	268	0.235
3300913	R01102022	20 x 22	292	0.315
3300914	R01102123	21 x 23	315	0.350
3300916	R01102426	24 x 26	328	0.450
3300917	R01102427	24 x 27	328	0.500
3300918	R01102430	24 x 30	342	0.600
3300919	R01102528	25 x 28	342	0.500
3300921	R01102732	27 x 32	365	0.600
3300922	R01103032	30 x 32	370	0.630

R0110XXXX
DOUBLE RING
SPANNER SET



- > Acc. to DIN 838, ISO 3318, ISO 1085, ISO 10104
- > 5° offset
- > Thin walled rings
- > Chrome-vanadium steel
- > Matt satin chrome-plated finish
- > In the holder

Code	No.	Contents	Pieces	
3300926	R01105008	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	8	1.400
3300928	R01105012	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	12	3.550

R0135XXXX
HALF MOON RING
SPANNER



- > For tight spaces
- > Thin walled rings

Code	No.			
3301113	R01351012	10 x 12	128	0.045
3301114	R01351113	11 x 13	150	0.075
3301115	R01351315	13 x 15	168	0.100
3301116	R01351416	14 x 16	184	0.115
3301117	R01351517	15 x 17	184	0.115

R0510XXXX
DOUBLE OPEN-
ENDED SPANNERS



- > Acc. to DIN 895, ISO 3318, ISO 1085
- > Jaw set at 15°

WHILE STOCKS LAST

Code	No.				Code	No.			
3300930	R05100607	6 x 7	122	0.025	3300943	R05101719	17 x 19	222	0.155
3300931	R05100809	8 x 9	140	0.040	3300944	R05101819	18 x 19	222	0.155
3300933	R05101011	10 x 11	157	0.040	3300946	R05102022	20 x 22	236	0.210
3300934	R05101013	10 x 13	172	0.060	3300947	R05102123	21 x 23	247	0.240
3300935	R05101213	12 x 13	172	0.055	3300948	R05102224	22 x 24	247	0.240
3300940	R05101415	14 x 15	188	0.100	3300949	R05102426	24 x 26	266	0.300
3300942	R05101617	16 x 17	205	0.110	3300950	R05102427	24 x 27	266	0.300

R0510XXXX
DOUBLE OPEN-
ENDED SPANNER
SETS



long, metric

- > Acc. to DIN 3110, ISO 3318, ISO 1085, ISO 10102
- > Jaw set at 15°
- > In the holder

Code	No.	Contents	Pieces	
3300959	R05105008	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	8	0.700
3300960	R05105012	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32 mm	12	2.420

R0310XXXX
ADJUSTABLE
SPANNERS



- > Acc. to DIN 3117, Form A
- > Jaw set at 15°
- > Polished head with lasered scale
- > High torque
- > Nickel chrome plated

Code	No.			mm	
3300997	R03100008	8	200	30	0.250
3300998	R03100010	10	250	34	0.420
3300999	R03100012	12	300	41	0.700

R0380XXXX
ADJUSTABLE
SPANNERS



- > Acc. to DIN 3117, Form A
- > Jaw set at 15°
- > Swedish pattern, roller with left hand thread
- > High torque
- > Blackened finish

Code	No.			mm	
3301060	R03800006	6	150	20	0.140
3301061	R03800008	8	200	25	0.280
3301062	R03800010	10	250	30	0.480
3301063	R03800012	12	300	36	0.750

RANGE OF SOCKETS

ROBUST
MULTI-TALENT



RATCHETS WITH FUNCTION

- Full range of sockets and accessories in 1/4", 3/8" and 1/2" drive
- Ratchets in 1/4", 3/8" and 1/2" drive, fine toothed for clockwise and anti-clockwise operation
- Ratchets with oval heads for minimum return angle and easy access in tight spaces

R4000027
2C REVERSIBLE RATCHET 1/4"



- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release

- > Fine-toothed
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	1/4"	6,3	5°	150	0.122
3300158	R4000027	1/4"	6,3	5	150	0.122

R40050009
2C REVERSIBLE RATCHET 1/4"



- > Offset pattern for in-depth screw work
- > Lever for reversible clockwise/anticlockwise operation

- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	1/4"	6,3	10°	145	0.100
3300159	R40050009	1/4"	6,3	10	145	0.100

R4100XXXX
SOCKET 1/4"
hexagon, metric



- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	mm	mm	Ø1	Ø2	kg
3300064	R41000403	4	25	6,7	12,0	0.012
3300065	R41004503	4,5	25	7,2	12,0	0.013
3300066	R41000503	5	25	7,8	12,0	0.013
3300067	R41005503	5,5	25	8,5	12,0	0.013
3300068	R41000603	6	25	9,1	12,0	0.014
3300069	R41000703	7	25	10,5	12,0	0.012
3300070	R41000803	8	25	11,3	12,0	0.014
3300071	R41000903	9	25	12,0	13,0	0.012
3300072	R41001003	10	25	12,7	14,5	0.014
3300073	R41001103	11	25	14,0	16,0	0.017
3300074	R41001203	12	25	15,0	17,0	0.020
3300075	R41001303	13	25	16,0	18,0	0.020
3300076	R41001403	14	25	18,0	19,7	0.018

R4120XXXX
FEMALE TORX®
SOCKET 1/4"
for external TX screws



- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	mm	mm	Ø1	Ø2	kg
3300102	R41200203	E5	25	7,2	12,0	0.013
3300103	R41200303	E6	25	8,2	12,0	0.014
3300104	R41200403	E7	25	9,0	12,0	0.014
3300105	R41200503	E8	25	13,3	12,0	0.015
3300106	R41200703	E10	25	12,5	13,2	0.015

R4245XXXX
MALE TORX®
SOCKET 1/4"
for recessed TX screws



- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	mm	mm	mm	Ø	kg
3300107	R42451106	T10	37	15,0	12	0.015
3300108	R42451206	T15	37	15,0	12	0.016
3300109	R42451306	T20	37	15,0	12	0.016
3300110	R42451406	T25	37	15,0	12	0.016
3300111	R42451506	T27	37	15,0	12	0.016
3300112	R42451606	T30	37	15,0	12	0.016
3300113	R42451806	T40	37	15,0	12	0.017

RANGE OF SOCKETS

R4255XXXX
ALLEN KEY
SOCKET 1/4"

for in-hex screws



- > Hand-operated, knurled grip
- > Acc. to DIN 7423
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	6.3mm	mm	mm	Ø	kg
3300123	R42550306	3	37	15,0	12	0.016
3300124	R42550406	4	37	15,0	12	0.016
3300125	R42550506	5	37	15,0	12	0.017
3300126	R42550606	6	37	15,0	12	0.015
3300127	R42550806	8	37	15,0	12	0.020
3300128	R42551006	10	37	15,0	12	0.020

R4510XXXX
EXTENSIONS 1/4"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock

Code	No.	6.3mm	mm	mm	kg
3300140	R45100009	1/4"	6,3	50	0.025
3300141	R45100019	1/4"	6,3	100	0.050
3300142	R45100029	1/4"	6,3	150	0.065

R45300005
UNIVERSAL JOINT
1/4"



- > Screwed-on joint
- > Acc. to DIN 3123 - C 6,4
- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock

Code	No.	6.3mm	mm	mm	kg
3300144	R45300005	1/4"	6,3	33	0.024

R45200022
SLIDING T-BAR WITH SLIDER 1/4"



- > Acc. to DIN 3122, ISO 3315
- > For hand-operated sockets

- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock

Code	No.	6.3mm	mm	mm	kg
3300143	R45200022	1/4"	6,3	115	0.038

R38950001
DRIVING HANDLE 1/4"



- > For hand-operated sockets and accessories with square q drive as per DIN 3120, ISO 1174, ball locking device
- > 2-component-handle for a hands-friendly transfer of force

- > Coupler in acc. with DIN 3120 - A 6.3, ISO 1174, with ball locking device
- > square socket in handle suitable for ratchet drive with DIN 3120 - C 6.3, ISO 1174, with ball catch groove

Code	No.	6.3mm	mm	mm	kg
3301344	R38950001	1/4"	6,3	171	0.120

R47110009

SOCKET HOLDER 1/4"



- > For driving sockets and screwdriver bit sockets
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock
- > Hex drive as per DIN 3126 - C 6.3 (1/4") for use in chucks

Code	No.	■ "	■	■ "	■	↳ mm ▷	⚖
3300150	R47110009	1/4"	6,3	1/4"	6,3	50	0.016

R47120011

QUICK-CHANGE BIT HOLDER 1/4"

with magnet



- > Quick-grip system for hex bits as per DIN 3126 - C 6.3 + E 6.3 (1/4")
- > Hex drive as per DIN 3126 - C 6.3 (1/4") for use in chucks
- > Release for bit ejection

Code	No.	■ "	■	■ "	↳ mm ▷	⚖
3300148	R47120011	1/4"	6,3	1/4"	60	0.030

R47110011

BIT HOLDER 1/4"

with magnet



- > Acc. to DIN 7427
- > For bits with external hexagon drive to DIN 3126 - C 6.3 E 6.3 (1/4"), external hexagon drive to DIN 3126 - C 6.3 (1/4") for use in chucks

Code	No.	■ "	■	■ "	↳ mm ▷	⚖
3300146	R47110011	1/4"	6,3	1/4"	60	0.022



R5000027
2C REVERSIBLE RATCHET 3/8"



- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release

- > Fine-toothed
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	"	mm	°	mm	kg
3300224	R5000027	3/8"	10	5	180	0.282

R5100XXXX
SOCKET 3/8"

hex, metric, short



- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove

Code	No.	mm	mm	Ø1	Ø2	kg
3300164	R51000604	6	28	10,0	17,0	0.019
3300165	R51000704	7	28	10,6	17,0	0.019
3300166	R51000804	8	28	11,8	17,0	0.020
3300167	R51000904	9	28	13,2	17,0	0.021
3300168	R51001004	10	28	14,2	17,0	0.021
3300169	R51001104	11	28	15,6	17,0	0.021
3300170	R51001204	12	28	17,0	18,0	0.024
3300171	R51001304	13	28	18,0	18,0	0.029
3300172	R51001404	14	28	19,5	19,0	0.032
3300173	R51001504	15	28	21,0	20,0	0.036
3300174	R51001604	16	28	22,0	21,0	0.039
3300175	R51001704	17	30	23,5	22,0	0.053
3300176	R51001804	18	30	24,5	23,0	0.057
3300177	R51001904	19	30	26,0	24,0	0.061
3300178	R51002004	20	32	28,0	25,0	0.060
3300179	R51002104	21	32	28,0	26,0	0.074
3300180	R51002204	22	32	30,0	28,0	0.088

R55200039
SLIDING T-BAR 3/8"



- > Acc. to DIN 3122, ISO 3315
- > For hand-operated sockets
- > Coupler based on DIN 3120 - A 10, ISO 1174, with ball lock

Code	No.	"	mm	mm	kg
3300242	R55200039	3/8"	10	200	0.190

R5510XXXX
SOCKET EXTENSION 3/8"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 10, ISO 1174, with ball lock

Code	No.	"	mm	mm	kg
3300218	R55100024	3/8"	10	125	0.100
3300219	R55100029	3/8"	10	150	0.150

R60600006
2C RATCHET HANDLE WITH COUPLER 1/2"



- > Square coupler for clockwise/anti-clockwise operation
- > Acc. to DIN 3122, ISO 3315
- > Also suitable for use with stepped keys and radiator nipple keys
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	"	■	°	mm	kg
3300412	R60600006	1/2"	12,5	12	270	0.560

R61000027
2C TELESCOPIC RATCHET 1/2"
reversible



- > Lever for reversible clockwise/anticlockwise operation
 - > Push-button release
 - > Telescopic shaft lockable in 5 positions
 - > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove
- WHILE STOCKS LAST

Code	No.	"	■	°	mm	mm	kg
3300522	R60010027	1/2"	12,5	5	460-600	40	1.099

R60110009
2C SWIVEL-HEAD TELESCOPIC
RATCHET 1/2", reversible



- > Telescopic shaft lockable in 5 positions
 - > Ratchet head swivels through 180°
 - > Ring for reversing clockwise/anticlockwise direction
 - > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove
- WHILE STOCKS LAST

Code	No.	"	■	°	mm	mm	kg
3300523	R60110009	1/2"	12,5	10	430-580	70	1.292

R60000027
2C REVERSIBLE RATCHET 1/2"



- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > Fine-toothed
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	"	■	°	mm	kg
3300410	R60000027	1/2"	12,5	5	250	0.586

R6255XXXX
ALLEN KEY
SOCKET 1/2"
hex, metric, short



- > Hand-operated, knurled grip
- > Acc. to DIN 7422
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code	No.	mm	mm	mm	Ø	kg
3300359	R62550510	5	55	17,0	22	0.064
3300360	R62550610	6	55	17,0	22	0.064
3300361	R62550710	7	55	17,0	22	0.068
3300362	R62550810	8	55	17,0	22	0.068
3300363	R62550910	9	55	17,0	22	0.078
3300364	R62551010	10	55	17,0	22	0.080
3300365	R62551110	11	55	17,0	24	0.112
3300366	R62551210	12	55	17,0	24	0.112
3300367	R62551410	14	55	17,0	24	0.136
3300368	R62551710	17	55	17,0	26	0.174

R6255XXXX
ALLEN KEY
SOCKET 1/2"

hex, metric, long



- > Hand-operated, knurled grip
- > Acc. to DIN 7422
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

WHILE STOCKS LAST

Code	No.	mm	mm	mm	Ø	kg
3300379	R62550719	7	100	62,0	22	0.084
3300380	R62550819	8	100	62,0	22	0.090
3300381	R62551019	10	100	62,0	22	0.150
3300382	R62551219	12	100	62,0	24	0.190
3300383	R62551419	14	100	62,0	24	0.220
3300384	R62551719	17	100	62,0	26	0.228

R6100XXXX
SOCKET 1/2"

hex, metric, short



- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

WHILE STOCKS LAST

Code	No.	mm	mm	Ø1	Ø2	kg
3300257	R61000806	8	38	12,4	22,2	0.050
3300258	R61000906	9	38	14,2	22,2	0.050
3300259	R61001006	10	38	15,3	22,2	0.050
3300260	R61001106	11	38	16,5	22,2	0.051
3300261	R61001206	12	38	17,8	22,2	0.052
3300262	R61001306	13	38	19,0	22,2	0.052
3300263	R61001406	14	38	20,2	22,2	0.054
3300264	R61001506	15	38	21,3	22,2	0.054
3300265	R61001606	16	38	23,2	22,2	0.060
3300266	R61001706	17	38	24,2	23,0	0.063
3300267	R61001806	18	38	25,0	23,0	0.066
3300268	R61001906	19	38	27,0	24,0	0.080
3300269	R61002006	20	38	28,0	24,0	0.077
3300270	R61002106	21	38	29,0	24,0	0.091
3300271	R61002206	22	38	30,0	26,0	0.092
3300272	R61002306	23	38	31,0	28,0	0.102
3300273	R61002406	24	38	32,0	28,0	0.105
3300274	R61002507	25	42	34,0	28,0	0.147
3300275	R61002607	26	42	35,0	29,0	0.150
3300276	R61002707	27	42	36,0	30,0	0.175
3300277	R61002807	28	42	37,0	30,0	0.200
3300278	R61003007	30	42	40,0	34,0	0.219
3300279	R61003207	32	42	42,0	36,0	0.192

R6100XXXX
SOCKET 1/2"

hex, metric, long



- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code	No.	mm	mm	Ø1	Ø2	kg
3300304	R61001014	10	77	15,3	22,2	0.073
3300305	R61001114	11	77	16,5	22,2	0.080
3300306	R61001214	12	77	17,8	22,2	0.090
3300307	R61001314	13	77	19,0	22,2	0.096
3300308	R61001414	14	77	20,2	22,2	0.100
3300309	R61001514	15	77	21,3	22,2	0.110
3300310	R61001614	16	77	23,2	22,2	0.114
3300311	R61001714	17	77	24,2	23,0	0.126
3300312	R61001814	18	77	25,0	23,0	0.131
3300313	R61001914	19	77	27,0	24,0	0.161
3300314	R61002014	20	77	28,0	24,0	0.167
3300315	R61002114	21	77	29,0	24,0	0.192
3300316	R61002214	22	77	30,0	26,0	0.192
3300318	R61002414	24	77	32,0	28,0	0.214
3300319	R61002714	27	77	36,0	30,0	0.310
3300320	R61003014	30	77	40,0	34,0	0.355
3300321	R61003214	32	77	42,0	36,0	0.408

R6110XXXX

SOCKET 1/2"

hex, metric, short



- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code	No.	○	↳ mm ←	Ø1	Ø2	⚖
3300323	R61100806	8	38	22,2	12,4	0.050
3300324	R61100906	9	38	22,2	14,2	0.050
3300325	R61101006	10	38	22,2	15,3	0.050
3300326	R61101106	11	38	22,2	16,5	0.051
3300327	R61101206	12	38	22,2	17,8	0.052
3300328	R61101306	13	38	22,2	19,0	0.052
3300329	R61101406	14	38	22,2	20,2	0.054
3300330	R61101506	15	38	22,2	21,3	0.054
3300331	R61101606	16	38	22,2	23,2	0.060
3300332	R61101706	17	38	23,0	24,2	0.063
3300333	R61101806	18	38	23,0	25,0	0.066
3300334	R61101906	19	38	24,0	27,0	0.080
3300335	R61102006	20	38	24,0	28,0	0.077
3300336	R61102106	21	38	24,0	29,0	0.091
3300337	R61102206	22	38	26,0	30,0	0.092
3300338	R61102306	23	38	28,0	31,0	0.102
3300339	R61102406	24	38	28,0	32,0	0.105
3300341	R61102607	26	42	29,0	35,0	0.147
3300342	R61102707	27	42	30,0	36,0	0.150
3300343	R61102807	28	42	30,0	37,0	0.175
3300345	R61103007	30	42	34,0	40,0	0.200
3300346	R61103207	32	42	36,0	42,0	0.219

R6120XXXX

FEMALE TORX®

SOCKET 1/2"

for external TX screws



- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code	No.	★ mm	↳ mm ←	Ø1	Ø2	⚖
3300349	R61200706	E10	38	13,1	22,0	0.052
3300350	R61200806	E11	38	13,8	22,0	0.054
3300351	R61200906	E12	38	14,9	22,0	0.052
3300352	R61201106	E14	38	16,7	22,0	0.052
3300353	R61201306	E16	38	18,7	22,0	0.056
3300354	R61201506	E18	38	20,3	22,0	0.054
3300355	R61201706	E20	38	22,3	24,0	0.062
3300356	R61201807	E22	40	24,3	26,0	0.078
3300357	R61201907	E24	41	26,3	28,0	0.094

R61021612
SPARK PLUG
SOCKET 1/2"



- > Hand-operated, knurled grip
- > Rubber insert for holding the spark plug
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code	No.	mm	"	mm	mm	kg	
3300401	R61021612	16,0	1/2"	12,5	65	21,7	0.090

R61022112
SPARK PLUG
SOCKET 1/2"
square drive



- > Drive hexagon with 23 mm wrench size
- > Hand-operated, knurled grip
- > Rubber insert for holding the spark plug
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code	No.	mm	"	mm	mm	kg	
3300402	R61022112	21,0	1/2"	12,5	65	27,7	0.138

R6245XXXX
MALE TORX®
SOCKET 1/2"
for recessed TX screws



- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code	No.	mm	mm	mm	mm	kg
3300391	R62451310	T20	55	17,0	22	0.058
3300392	R62451410	T25	55	17,0	22	0.058
3300393	R62451510	T27	55	17,0	22	0.059
3300394	R62451610	T30	55	17,0	22	0.059
3300395	R62451810	T40	55	17,0	22	0.063
3300396	R62451910	T45	55	17,0	22	0.064
3300397	R62452110	T50	55	17,0	22	0.065
3300398	R62452210	T55	55	17,0	22	0.074
3300399	R62452310	T60	55	17,0	24	0.100

R65200049
SLIDING T-BAR 1/2"



- > Acc. to DIN 3122, ISO 3315
- > For hand-operated sockets
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock

Code	No.	"	mm	mm	kg
3300408	R65200049	1/2"	12,5	250	0.368

R6510XXXX
 EXTENSIONS 1/2"


 12.5mm
 1/2"

- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock

Code	No.	1/2"	mm	-mm	
3300403	R65100014	1/2"	12,5	75	0.100
3300404	R65100024	1/2"	12,5	125	0.180
3300406	R65100049	1/2"	12,5	250	0.430

R65300012
 UNIVERSAL
 JOINT 1/2"


 12.5mm
 1/2"


- > Screwed-on joint
- > Acc. to DIN 3123 - C 12,6
- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock

Code	No.	1/2"	mm	1/2"	mm	-mm	
3300407	R65300012	1/2"	12,5	1/2"	12,5	66	0.134



SOCKET SETS

*PERFECT
SELECTION*



i

ALWAYS THE RIGHT SOLUTION

- Large selection of practical socket sets in 1/4", 3/8" and 1/2" for universal or specialised use
- Available in a robust sheet steel case with foam insert or in a lightweight moulded case
- Organised storage and safe transport

R49003016
SOCKETSET 1/4"
16 pieces



- > For hand-operation
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg
3300050	R49003016	1/4" 2C lever-action ratchet fine-toothed, 72 teeth 150 mm 1/4" Socket spanner hexagonal SW 4 4.5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" socket extension 100 mm 1/4" cross handle with slide 115 mm Bit adapter 1/4" square x 1/4" hex 25 mm	16	0.620


R49003033
SOCKETSET 1/4"
33 pieces



- > For hand-operation
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg
3300051	R49003033	1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket hexagon 4.4.5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" screwdriver bit socket in-hex 3 4 5 6 37 mm 1/4" screwdriver bit socket slotted 4 5.5 6.5 37 mm 1/4" screwdriver bit socket cross-head PH 1 2 37 mm 1/4" screwdriver bit socket cross-head PZ 1 2 37 mm 1/4" screwdriver bit socket TX T15 T20 T25 T30 37 mm 1/4" socket extension 50 100 mm 1/4" universal joint 32 mm Bit adapter 1/4" sq. x 1/4" hex 25 mm	33	1.310

R49003046
SOCKETSET 1/4"
46 pieces



- > For hand-operation
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg
3300052	R49003046	1/4" 2K reversible lever ratchet fine-toothed, 72 teeth 150 mm 1/4" square socket 165 mm 1/4" socket hexagon SW 4,4,5,5,6,7,8,9,10,11,12,13,14 25 mm 1/4" screwdriver bit socket hexagon socket inner 3 4 5 6 7 8 37 mm 1/4" screwdriver bit socket slot 4 5,5 6,5 37 mm 1/4" Screwdriver bit socket Phillips PH 1 2 3 37 mm 1/4" Screwdriver bit socket Phillips PZ 1 2 37 mm 1/4" Screwdriver bit socket TX T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" Socket wrench extension 50 100 mm 1/4" Flexible socket wrench extension 150 mm 1/4" Cross handle with slide 115 mm 1/4" Cardan joint 32 mm Bit-Adapter 1/4" square x 1/4" hexagon 25 mm Allen wrench set hexagon SW 1,27 1.5 2 2.5 mm	46	1.414

R49005037
TOOLSET T-HANDLE
WIT RATCHET 1/4"
37 pieces



- > For hand-operation
- > In-hex for direct mounting of bits as per DIN 3126 - D 6.3
- > Ring for reversing clockwise/anticlockwise direction
- > 9x long all-steel blades with square drive and sockets
- > 1x long all-steel blade with square drive as bit holder or extension
- > Bits in extra plastic holders

WHILE STOCKS LAST

Code	No.	Contents	Pieces	kg
3300025	R49005037	2C ratchet hand grip with swivel 1/4" in-hex blade, ring change Socket hexagon 6 7 8 9 10 11 12 13 14 135 mm Bit holder 1/4" hex x 1/4" hex 135 mm 1/4" bit hexagon 3 4 5 6 8 mm 25 mm 1/4" bit slotted 4.5 5.5 6.5 25 mm 1/4" bit cross-head PH 1 2 2 3 25 mm 1/4" bit cross-head PZ 1 2 2 3 25 mm 1/4" bit TX T10 T15 T20 T25 T30 T40 25 mm 1/4" bit TX with drill hole T10 T15 T20 T25 25 mm	37	1.335



SOCKET SETS

R49005023 BIT RATCHET SET WITH ADAPTER 1/4" compact, 23 pieces




- > For hand-operation
- > Rugged plastic box with belt clip

WHILE STOCKS LAST

Code	No.	Contents	Pieces	
3300026	R49005023	Bit ratchet 1/4" reversible, with drive adapter Socket wrench insert hexagon SW 6 7 8 10 11 12 13 mm 1/4" bits hexagon socket 4 5 6 mm 1/4" bits slot 5,5 mm 1/4" bits cross recess PH 1 2 1/4" bits cross recess PZ 1 2 1/4" bits TX T15 T20 T25 T27 T30 Adapter 1/4" 4kt x 1/4" 6kt bit holder 1/4" 6kt x 1/4" 6kt, with magnet 67 mm	23	0.380


R59003026 SOCKET SET 3/8" 26 pieces



- > For hand-operation
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	
3300053	R59003026	3/8" 2K lever reversible ratchet fine-toothed, 72 teeth 180 mm 3/8" socket wrench insert hexagon SW 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 mm 3/8" spark plug insert SW 16 21 mm 65 mm 3/8" socket wrench extension 75 150 mm 3/8" cross handle with sliding piece 200 mm 3/8" Cardan joint 48 mm Reducer 3/8" - 1/4" 27 mm	26	2.440

R59003059 SOCKET SET 3/8" 59 pieces



- > For hand-operation
- > Plastic case in GEDORE red Design

WHILE STOCKS LAST

Code	No.	Contents	Pieces	
3300054	R59003059	3/8" 2C lever reversible ratchet, fine-toothed, 72 teeth 180 mm 3/8" socket hexagon bi-hex 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 mm 3/8" socket hexagon hex long 8 9 10 11 12 13 14 15 17 19 L.63mm 3/8" spark plug socket 16 21 mm 65 mm 3/4" screwdriver bit socket in-hex 3 4 5 6 7 8 10 48 mm 3/4" screwdriver bit socket slotted 5,5 7 8 48 mm 3/8" screwdriver bit socket cross-head PH 1 2 48 mm 3/8" screwdriver bit socket cross-head PZ 1 2 48 mm 3/8" screwdriver bit socket TX T25 T27 T30 T40 T45 T50 T55 48 mm 3/8" socket extension 75 250 mm 3/8" universal joint 49 mm Reducer 3/8" - 1/4" 27 mm Socket extension piece/slider 3/8" x 1/2" 44 mm	59	4.800

R69013024 SOCKET SET 1/2" 24 pieces



- > For hand-operation
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	
3300056	R69013024	1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth 250 mm 1/2" socket bi-hex 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32 1/2" socket extension 125 250 mm Socket extension piece/slider 3/8" x 1/2" 44 mm	24	4.750

R46003092
SOCKET SET
1/4" + 1/2"

92 pieces



- > For hand-operation
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg
3300062	R46003092	1/4" 2K lever reversible ratchet fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm 1/4" socket wrench insert hexagon SW 4 5 6 7 8 9 10 11 12 13 mm 50 mm 1/4" socket wrench extension 50 100 mm 1/4" cross handle with sliding piece 115 mm 1/4" universal joint 32 mm bit holder 1/4" hexagonal x 1/4" hexagonal, with magnet 60 mm Bit adaptor 1/4" square x 1/4" hexagon 25 mm Drive adaptor 1/4" hexagon x square with ball lock 25 mm 1/4" bits inner hexagon 3 4 5 6 8 10 25 mm 1/4" bits slot 4 5, 5, 7 25 mm 1/4" bits cross recess PH 0 1 2 3 4 25 mm 1/4" bits cross recess PZ 1 2 3 25 mm 1/4" bits TX T8 T10 T15 T20 T25 T27 T30 T40 25 mm 5/16" bits TX T45 T50 T55 30 mm 1/2" 2K lever reversible ratchet fine-toothed, 72 teeth 250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 17 19 22 24 27 30 32 mm 1/2" spark plug insert 21 mm (13/16") 65 mm 1/2" socket wrench extension 125 250 mm 1/2" universal joint 65 mm Enlarging/sliding piece 3/8" x 1/2" 44 mm Bit adaptor 1/2" square x 5/16" hexagon 38 mm Double-jointed key SW 8x9 10x11 12x13 14x15 mm Combination wrench SW 8 10 12 13 14 17 mm Hexagon Key Wrenches, hexagon SW 1.5 2 2.5 mm	92	5.850

R46003094
SOCKET SET
1/4" + 1/2"

94 pieces



- > For hand-operation
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg
3300057	R46003094	1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 25 mm 1/4" socket hexagon 6 7 8 9 10 11 12 13 mm 50 mm 1/4" screwdriver bit socket in-hex 4 4.5 6 37 mm 1/4" screwdriver bit socket slotted 4 5.5 6.5 37 mm 1/4" screwdriver bit socket cross-head PH 1 2 37 mm 1/4" screwdriver bit socket cross-head PZ 1 2 37 mm 1/4" screwdriver bit socket TX T8 T10 T15 T20 T25 T27 T30 37 mm 1/4" socket extension 50 100 mm 1/4" sliding T-bar with slider 115 mm 1/4" universal joint 32 mm 5/16" bits in-hex 8 10 12 14 30 mm 5/16" bits slotted 8 10 12 30 mm 5/16" bits cross-head PH 3 4 30 mm 5/16" bits cross-head PZ 3 4 30 mm 5/16" bits TX T40 T45 T50 T55 30 mm 1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth 250 mm 1/2" socket hex 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 27 28 30 32 1/2" socket hexagon 14 15 17 19 77 mm 1/2" spark plug socket 16 21 mm 65 mm 1/2" socket extension 125 250 mm 1/2" universal joint 66 mm Socket extension piece/slider 3/8" x 1/2" 44 mm Bit adapter 1/4" square x 5/16" hex 38 mm Hexagon Allen key set 1.5, 2 2.5 mm	94	6.770


R46003100
SOCKET SET
1/4" + 1/2"
100 pieces



- > For hand-operation
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	
3300063	R46003100	1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket hexagon 4.4 5 5.5 6 7 8 9 10 11 12 13 mm 1/4" socket extension 50 100 mm 1/4" sliding T-bar with slider 115 mm 1/4" universal joint 32 mm Bit adapter 1/4" sq. x 1/4" hex 25 mm 1/4" bits in-hex 3 4 5 6 8 10 25 mm 1/4" bits slotted 4 5 5 7 25 mm 1/4" bits cross-head PH 1 2 3 4 25 mm 1/4" bits cross-head PZ 1 2 3 25 mm 1/4" bits TX T8 T10 T15 T20 T25 T27 T30 T40 25 mm 1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth 250 mm 1/2" socket hex 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32 mm 1/2" socket extension 125 250 mm 1/2" universal joint 65 mm Socket extension piece/slider 3/8" x 1/2" 44 mm Combination spanners 8 9 10 11 12 13 14 15 16 17 18 19 mm Hexagon Allen key set 1.5 2.2 5 3 4 5 6 8 10 mm Adjustable spanner 10" 250 mm Screwdriver slotted 4 5 5 6 5 Screwdriver cross-head PH 1 2 3 Side cutter 180 mm Telephone pliers 200 mm Water pump pliers 10" 250 mm Hammer 500 g	100	10.000



R46003172
SOCKET SET
1/4" + 3/8" + 1/2"
172 pieces



- > For hand-operation
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	
3300058	R45603172	1/4" 2K lever reversible ratchet, fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert, hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 25 mm 1/4" socket wrench insert hexagon SW 4 5 6 7 8 9 10 50 mm 1/4" socket wrench insert TX E4 E5 E6 E7 E8 25 mm 1/4" screwdriver bit socket hexagon socket 3 4 5 6 37 mm 1/4" screwdriver bit socket slotted 4 5 5 6 5 7 37 mm 1/4" screwdriver bit socket cross-slotted PH 0 1 2 37 mm 1/4" screwdriver bit socket cross recess PZ 0 1 2 37 mm 1/4" screwdriver bit socket TX T8 T9 T10 T15 T20 T25 T27 T30 37 mm 1/4" screwdriver bit socket TX with bore T8 T9 T10 T15 T20 T25 T27 T30 37 mm 1/4" socket wrench extension 50 100 mm 1/4" T-handle with slider 115 mm 1/4" universal joint 32 mm bit adapter 1/4" square x 1/4" hex. 25 mm 1/4" bits TX T5 T6 T7 25 mm 1/4" bits TX with hole T7 25 mm 1/4" bits TX plus security T10 T15 T20 T25 T27 T30 T40 T45 25 mm 1/4" bits multi-tooth XZN M5 M6 M8 25 mm 1/4" bits keyway M5 M6 M7 M8 M9 25 mm 5/16" bits hexagon socket 7 8 10 12 14 30 mm 5/16" bits slotted 8 10 12 30 mm 5/16" bits cross recess PH 3 4 30 mm 5/16" bits cross recess PZ 3 4 30 mm 5/16" bits TX T40 T45 T50 T55 T60 T70 30 mm 5/16" bits TX with bore T40 T45 T50 T55 T60 T70 30 mm 3/8" 2K lever reversible ratchet, fine-toothed, 72 teeth 180 mm 3/8" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 3/8" socket wrench insert hexagon SW 10 11 12 13 14 15 63 mm 3/8" socket wrench insert TX E10 E11 E12 E14 E16 E18 3/8" spark plug insert SW 18 mm 65 mm 3/8" socket wrench extension 150 mm 3/8" universal joint 49 mm bit adapter 3/8" square x 5/16" hex 30 mm 1/2" 2K lever reversible ratchet, fine-toothed, 72 teeth 250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 1/2" socket wrench insert 6-kant SW 16 17 18 19 22 77 mm 1/2" socket wrench insert TX E20 E24 1/2" spark plug insert SW 16 21 mm 65 mm 1/2" socket wrench extension 125 250 mm 1/2" universal joint 66 mm enlarging piece / sliding piece 3/8" x 1/2" 44 mm bit adapter 1/2" square x 5/16" hex 38 mm offset screwdriver set hexagon SW 1.5 2.2 5 3 4 5 6 mm	172	10.500

R46003232
SOCKET SET
 1/4" + 1/2"
 232 pieces



- > For hand-operation
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	Weight
3300185	R46003232	1/4" + 1/2" 2K reversible ratchets, 1/4" + 1/2" Sockets 1/4" + 1/2" Cross handle with slide, 1/4" + 1/2" Socket extension, 1/4" + 1/2" Cardan joint, 1/4" Square socket handle, 1/2" Sockets TX, Enlargement adapter/slide 3/8" x 1/2", 1/2" Bit adapter square x 5/16" hexagonal, 1/4" Bit screwdriver, 1/4" Bits, internal hex, slotted, PH, PZ, TX, TXB, 1/4" Bit holder 60+80+120mm, Bit box 30 pcs., Combination spanner, Offset screwdriver set, hexagon socket 8 pcs., Offset screwdriver set, TX 8 pcs.	232	8.900

NEW

THE ORGANISED ALL-ROUNDER

High quality tool set for a wide range of applications

The GEDORE red socket sets offer a wide selection of different bits and sockets for all tasks in trade, industry and DIY. Thanks to the smart combination of the tool set with all common profiles and spanner sizes and many accessories, nothing stands in the way of successful work. The GEDORE red lever-action ratchets offer secure tightening and loosening of nuts and are of extremely high quality, as well as being finely toothed

for the smallest of working angles. The red and black plastic case ensures that nothing gets lost and that all the tools are always handy and neatly organised.




- 1 PERFECT EQUIPMENT**
 - 232 tools for the most diverse screwdriving applications in a simple layout guarantees quick access
- 2 HIGH QUALITY**
 - The lever-operated reversible ratchets from GEDORE red offer secure tightening or loosening of the nut and are of extremely high quality, as well as being finely toothed for the smallest possible working angle.
- 3 STABLE STORAGE**
 - Lightweight plastic case with metal hinges guarantee safe storage and secure mobile use

PERFECT CHOICE

R68003030

ALLEN KEY SOCKET SET 1/2"

30 pieces




- > For hand-operation
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	
3301573	R68003030	5 6 7 8 10 12 14 17 19 55 mm 5 6 7 8 10 11 12 13 100 mm 5 6 7 8 10 12 14 140 mm 5 6 7 8 10 12 200 mm	30	5.400

R68003026

MALE TORX® SOCKET SET 1/2" XZN

26 pieces



- > For hand-operation
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	
3301574	R68003026	XZN M5 M6 M8 M9 M10 M12 M14 M16 55 mm XZN M5 M6 M8 M9 M10 M12 M14 100 mm XZN M5 M6 M8 M9 M10 M12 M14 140 mm XZN M8 M10 M12 M14 200 mm	26	5.400

R62558110

ALLEN KEY SOCKET SET 1/2"

in-hex, metric, on holding rail, 10 pieces



- > Screwdriver bit socket 1/2", hexagon socket, design according to DIN 7422

- > Hand-operated, knurled grip

Code	No.	Contents	Pieces	
3300027	R62558110	5 6 7 8 9 10 12 14 17 19 55 mm	10	1.140

R62458107

MALE TORX® SOCKET SET 1/2"

on holding rail, 7 pieces



- > Sockets 1/2", TX

- > Hand-operated, knurled grip

Code	No.	Contents	Pieces	
3300029	R62458107	TX T20 T25 T27 T30 T40 T45 T50 55 mm	7	0.560

R61208007
 FEMALE TORX® SOCKET SET 1/2"
 on holding rail, 7 pieces



> Sockets 1/2", TX

> Hand-operated, knurled grip

Code	No.	Contents	Pieces	kg
3300028	R61208007	TX E10 E11 E12 E14 E16 E18 E20	7	0.460

R69008012
 SOCKET SET 1/2"
 hex, metric, on holding rail, 12 pieces



> 2C reversible ratchet 1/2"

> Socket 1/2", hex

> Socket extension 1/2", 75 mm

Code	No.	Contents	Pieces	kg
3300030	R69008012	2C reversible ratchet 1/2" 250 mm Socket wrench extension 1/2" 75 mm Sockets 1/2" SW 10 11 12 13 14 15 16 17 18 19 38 mm	12	1.300

R63003012
 IMPACT SOCKET
 SET 1/2"
 12 pieces



- > Square drive as per DIN 3121 - G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2
- > Machine-operated, fixing with safety ring / pin
- > In rugged plastic case

Code	No.	Contents	Pieces	kg
3300574	R63003012	Size 10 11 12 13 14 15 16 17 19 21 22 24 mm	12	1.598



R63003008
 POWER WRENCH
 SOCKET SET 1/2"
 8 pieces



- > Square drive as per DIN 3121 - G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2
- > Machine-operated, fixing with safety ring / pin
- > In rugged plastic case

Code	No.	Contents	Pieces	kg
3300575	R63003008	Impact wrench 10 12 13 14 17 19 21 24 mm	8	1.100



R63043003
 IMPACT WRENCH
 SOCKET SET 1/2"
 3 pieces



- > Specially for fitting / removing wheels nuts on vehicles
- > Special plastic sleeves for damage-free work on aluminium wheel rims
- > Square drive as per DIN 3121 - G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2
- > Machine-operated, fixing with safety ring / pin
- > In robust plastic case

Code	No.	Contents	Pieces	kg
3300578	R63043003	Power wrench insert SW 17 19 21 mm 86 mm	3	0.830



TORQUE WRENCHES

*PURE
PRECISION*



CONTROLLED BOLT TIGHTENING

- For controlled right and left hand tightening from 10 to 200 N·m
- Precision confirmed with test certificate according to DIN EN ISO 6789
- Tripping accuracy: $\pm 3\%$ tolerance of the set scale value, higher than required by the standard

RX890XXXX
 TORQUE WRENCH


3301871

3301217

- > Controlled screw tightening from 10 to 200 Nm
- > Torque triggering clearly to be heard and felt
- > Clockwise and anti-clockwise tightening from switching over the mushroom head/push-through square
- > Adjustable torque wrench with square drive and integrated ratchet function
- > Tripping accuracy: +/-3 % tolerance of the set scale value
- > Supplied with calibration certificate
- > In accordance with DIN EN ISO 6789

NEW

Code	No.	"	mm	N-m	نسانس N-m	mm	
3301871	R58900050	3/8"	10	10-50	0,25	334,5	0.476
3301217	R68900200	1/2"	12,5	40-200	1	485	1.420

TORQUE WRENCH WARRANTY & CALIBRATION POLICY

Warranty

In terms of GEDORE'S warranty policy, all torque wrenches are covered by a lifetime guarantee against defective materials and workmanship. Provided that the tool has been correctly used for its intended purpose and allowances have been made for the wear and tear of moving parts, the torque wrench will be repaired free of charge.

The warranty does not cover torque wrenches which have been misused or which have experienced wear and tear through extensive use.

A warranty return will be assessed by our technical staff and if the return falls outside of our warranty policy, the customer will be notified and quoted for the repair.

Calibration

A standard calibration and the issue of a test certificate will be provided as standard practice on any repair conducted.

A SANAS calibration and the issue of a SANAS calibration certificate will be done on request at a nominal charge.

Obsolescence

Please note that while GEDORE uses its best endeavours to carry significant stocks of spares to support its torque wrench product range, some spares for older discontinued items are no longer available. In such cases, repair of the torque wrench may not be possible.

WWW.GEDORE.COM

SCREWDRIVERS

**RAPID
ROTATIONS**



i

FOR SLOT, PH, PZ, TX AND IN-HEX

- Blade of high-grade chrome-molybdenum steel
- Tips phosphated, corrosion-protected for low-wear
- Dual-material handles for a hands-friendly transfer of force

R38002006 SCREWDRIVER SET

6 pieces



- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

Code	No.	Contents	Pieces	kg
3301270	R38002006	Slotted screwdriver 3 5.5 6.5 mm Cross-slotted screwdriver PH 0 1 2	6	0.435

R38002106 SCREWDRIVER SET

6 pieces



- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

Code	No.	Contents	Pieces	kg
3301271	R38002106	Slotted screwdriver 3 5,5 6,5 mm Cross-head screwdriver PH 0 1 2	6	0.435

R38002012 SCREWDRIVER SET XXL

12 pieces



- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

Code	No.	Contents	Pieces	kg
3301273	R38002012	Slotted screwdriver 3 4 5.5 6.5 8 mm Phillips screwdriver PH 1 2 Phillips screwdriver PZ 1 2 VDE slotted screwdriver 2.5 mm VDE Phillips screwdriver PH 1 Phase tester 3 mm	12	0.927

R38402006 SCREWDRIVER SET TORX®

6 pieces



- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

Code	No.	Contents	Pieces	kg
3301272	R38402006	TX screwdriver T10 T15 T20 T25 T30 T40	6	0.55

R38920000



EXTENDABLE SHANK SCREWDRIVER

13 IN 1



- > 13 Screwdriver profiles in magazine
- > Screwdriver handle with integrated ratchet function, reversible
- > Hex recess drive as per DIN 3126 - D 6.3 (1/4"), for bits

- > Lockable telescopic blade, continuously adjustable
- > Reversible clockwise/anticlockwise ratchet function

Code	No.	⬡"	⬡	Contents		
3301337	R38920000	1/4"	6,3	Magazine screwdriver with 1/4" bits Slot 4 4,5 5,5 mm Cross recess PH 1 2 3 Cross recess PZ 1 2 TX T10 T15 T20 T25 Inside hexagon 4 mm	128	0.280

R38011005

2C-SCREWDRIVER MAXIMUS

5 pieces




NEW

- > 2-component-handle for a hands-friendly transfer of force
- > With hexagon socket DIN 3126 - D 8 (5/16") for bits
- > Additional 10 mm drive option on the bit adapter inserted in the shaft
- > The adapter housed in the handle is suitable for 1/4" bits

- > The interchangeable double blades SL PH in the shaft of the Maximus can be easily and quickly repositioned and offer more flexibility

WHILE STOCKS LAST

Code	No.	Contents	Lengths	Pieces	
3300038	R38011005	2-component handle 5/16" shank Bit double blade PH 1 2 Bit double blade Slot 5.5 6.5 mm Bit adapter 8mm (5/16") x 1/4"	Handle 126 mm Shaft 67 mm Handle with shaft and bit double blade 225 mm	5	0.230

R38672006


2CT HANDLE
CRANKED SOCKET
KEY SET

in hex, 6 pieces



- > Two-way profile
- > 2-component-handle for a hands-friendly transfer of force

WHILE STOCKS LAST

Code	No.	Contents	Pieces	
3301281	R38672006	SW 2,5 3 4 5 6 8 mm	6	0.731

R36605009

ALLEN KEY SET

in hex, 9 pieces



- > In a plastic holder

Code	No.	Contents	Pieces	
3301331	R36605009	Hexagon allen key 1,5 2 2,5 3 4 5 6 8 10	9	0.250

R36675009
ALLEN KEY SET
in hex, 9 pieces



- > With ball end
- > In a plastic holder

Code	No.	Contents	Pieces	kg
3301335	R36675009	Size 1.5 2 2.5 3 4 5 6 8 10	9	0.404

R33005031
BIT BOX 1/4"
32 pieces



- > Bits: Hardness: 60 HRC +/- 2, torque: 18.4 N-m
- > Drive adaptor with magnetic bit locking
- > Hexagon drive according to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated

- > Box with clear cover
- WHILE STOCKS LAST

Code	No.	Contents	Pieces	kg
3301338	R33005031	1/4" hexagon sizes 3 4 5 1/4" slotted 0.6x4.5 1.0x5.5 1.2x6.5 2x 1/4" cross-head PH 1 2 3 2x 1/4" cross-head PZ 1 2 3 2xTX T10 T15 T20 T25 T30 T40 Quick change adaptor for 1/4" bits C 6.3 with magnet Bit adaptor 1/4" hex x 1/4" square	32	0.250

R35003040
BIT SET 10MM SK / XZN / TX
40 pieces



- > Reinforced bits, 10 mm
- > Hand-operated
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 10
- > In rugged plastic case

- WHILE STOCKS LAST

Code	No.	Contents	Pieces	kg
3301572	R35003040	inner hexagonal bit SW 4 5 6 8 10 12 30 mm inner hexagonal bit SW 4 5 6 8 10 12 75 mm TX Bit T20 T25 T30 T40 T45 T50 T55 30 mm TX Bit T20 T25 T30 T40 T45 T50 T55 75 mm XZN bit M5 M6 M8 M10 M12 30 mm XZN bit M5 M6 M8 M10 M12 75 mm Bit adapter inner square drive 1/2" to inner hexagonal drive 10mm Bitadapter inner square drive 3/8" to inner hexagonal drive 10mm	40	1.750

PLIERS

*ERGONOMIC
POWER PACKS*



GRIPPING, HOLDING, CUTTING AND PRESSING

- Optimised gripping surfaces combined with high cutting performance ensure the best possible work results
- Virtually loss-free power transmission from the handle via the joint to the workpiece
- Easy adjustment and operation - even in the case of large pipe and water pump pliers

R2830XXXX
 COMBINATION
 PLIERS


- > Acc. to DIN ISO 5746
- > With gripping zones for flat and round stock
- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

Code	No.	l- mm -l	Hard wire Ø mm	
3301124	R28302180	180	1,6	0.24
3301125	R28302200	200	1,8	0.305

R2842XXXX
 POWER SIDE
 CUTTERS


- > Acc. to DIN ISO 5749
- > High cutting performance with low force
- > Slim head
- > Induction-hardened long cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

Code	No.	l- mm -l	Piano wire Ø mm	
3301127	R28422180	180	1,8	0.23
3301128	R28422200	200	2,0	0.32

R2850XXXX
 TELEPHONE PLIERS
 straight


- > Acc. to DIN ISO 5745
- > Straight grip surfaces, lengthways-serrated
- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

Code	No.	l- mm -l	Hard wire Ø mm	
3301133	R28502200	200	1,8	0.2

R28002003
 PLIERS SET
 3 pieces


- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

Code	No.	Contents	Pieces	
3301155	R28002003	Combination pliers 180 mm Side cutter 160 mm Telephone pliers, straight 200 mm	3	0.711

R28924110
TOWER PINCER



- > Acc. to DIN ISO 9242
- > head polished
- > Pliers for heavy-duty use
- > Induction-hardened cutting edges
- > Dip-coated handle covers
- > Special tool steel, forged

Code	No.	Size (mm)	Medium-hard wire Ø mm	kg
3301842	R28924110	250	2,4	0.395

R27604060
CIRCLIP PLIERS
EXTERNAL
straight



- > Acc. to DIN 5254 Form A
- > Straight precision tips
- > With opening spring
- > DIN 471 for retaining rings
- > DIN 983 for shaft diameter
- > Dip-coated handle covers
- > Chrome-vanadium steel

WHILE STOCKS LAST

Code	No.	Size	Tip-Ø	Ring-Ø	kg
3301138	R27604060	A2	1,8	19	0.18

R27654060
CIRCLIP PLIERS
EXTERNAL
angled



- > Acc. to DIN 5254 Form B
- > 90° angled precision tips
- > With opening spring
- > DIN 471 for retaining rings
- > DIN 983 for shaft diameter
- > Dip-coated handle covers
- > Chrome-vanadium steel

WHILE STOCKS LAST

Code	No.	Size	Tip-Ø	Ring-Ø	kg
3301141	R27654060	A11	1,8	19	0.16

R27704060
CIRCLIP PLIERS
INTERNAL
straight



- > Acc. to DIN 5256 Form C
- > Straight precision tips
- > DIN 472 for retaining rings
- > DIN 984 for drill hole diameter
- > Dip-coated handle covers
- > Chrome-vanadium steel

WHILE STOCKS LAST

Code	No.	Size	Tip-Ø	Ring-Ø	kg
3301144	R27704060	J2	1,8	19	0.15

R27754060
CIRCLIP PLIERS
INTERNAL
angled



- > Acc. to DIN 5256 Form D
- > 90° angled precision tips
- > DIN 472 for retaining rings
- > DIN 984 for drill hole diameter
- > Dip-coated handle covers
- > Chrome-vanadium steel

WHILE STOCKS LAST

Code	No.	Size	Tip-Ø	Ring-Ø	
3301147	R27754060	J21	1,8	19	0.15

R28002004
CIRCLIP PLIERS SET
straight, 4 pieces



- > Circlip pliers for external retaining rings, straight and angled, Size 2
- > Circlip pliers for internal retaining rings, straight and angled, Size 2
- > Dip-coated handle covers
- > Chrome-vanadium steel

WHILE STOCKS LAST

Code	No.	Contents	Pieces	
3301156	R28002004	External fuse tongs straight A2 External fuse tongs angled A21 Internal fuse clamp straight J2 Internal fuse tongs angled J21	4	0.68

R2710XXXX
PIPE WRENCH
Swedish pattern



- > Acc. to DIN 5234
- > Heavy-duty pattern
- > Mouth position 90° angled
- > Teeth offset against direction of rotation
- > Jaws polished

- > Captive adjusting nut
- > Chrome-vanadium steel

WHILE STOCKS LAST

Code	No.	inch	mm	↳ mm ←	
3301157	R27100010	1	40	320	0.78
3301158	R27100015	1.1/2	55	420	1.356
3301159	R27100020	2	67	555	2.55

WWW.GEDORE.CO.ZA

R2716XXXX
PIPE WRENCH
American pattern



- > Stillson type
 - > Hardened knurled nut fixes span width
 - > With hanging hole
- > Forged steel

Code	No.	↳ mm ▷	↳ "inch ▷	mm	"inch	
3301204	R27160009	250	10	43	1.7/8	0.8
3301205	R27160011	300	12	53	2.1/8	1
3301207	R27160016	450	18	76	3	2.1

R28154010
WATER PUMP PLIERS
WITH AUTOMATIC ONE HAND
ADJUSTMENT



- > Acc. to DIN 8976
 - > Automatic setting mechanism for one-handed operation
 - > Safety-box joint, substantial stability from a double guide
 - > Slim design allows good access to the workpiece
 - > Lengthways-serrated grip surfaces
 - > head polished
 - > Dip-coated handle covers
- > Chrome-vanadium steel

NEW

Code	No.	↳ mm ▷	mm	
3301172	R28154010	250	35	0.374

R2810XXXX
WATER PUMP PLIERS
7 settings



- > Acc. to DIN 8976 Form C
 - > Lengthways-serrated grip surfaces
 - > With box joint
 - > 7 settings
 - > head and knuckle brightly ground
- > Chrome-vanadium steel
 - > Red powder-coated

Code	No.	↳ mm ▷	mm	
3301175	R28100010	250	33	0.3

R28904260
HAND RIVETER



- > Interchangeable nozzle bushings fit right on the gun
 - > Spring loaded handle for automatic ejection of mandrel
 - > Smooth, easy, one-handed operation
 - > Contour grip handle with vinyl cover for added comfort
- > Blister packed


NEW

Code	No.	↳ mm ▷	Rivet-Ø	
3301845	R28904260	260	2.4 3.2 4.0 4.8mm	

R2720XXXX
 GRIP WRENCH


- > For clamping and gripping profiled, round and flat-section material
- > Lengthways-serrated grip surfaces
- > With adjusting screw and release lever
- > One-handed operation
- > Chrome-plated surface
- > Chrome-vanadium steel

Code	No.	↳mm↳	↳"inch↳	mm	⚖️
3301177	R27200007	185	7	35	0.375
3301178	R27200010	225	10	40	0.545

R27202003
 GRIP WRENCH SET


- > For clamping and gripping profiled, round and flat-section material
- > Lengthways-serrated grip surfaces
- > With adjusting screw and release lever
- > One-handed operation
- > Chrome-plated surface
- > Chrome-vanadium steel

Code	No.	Contents	Pieces	⚖️
3301180	R27202003	7" 10" 12"	3	1.95



STRIKING TOOLS

*TOUGH
FELLOWS*



CONCENTRATED USE OF POWER

- Forged, robust hammer heads with induction-hardened striking surfaces
- Secure connections between head and handle for long service life and improved safety at work
- Chisels, centre punches and drivers with tempered striking ends are particularly robust

R9210XXXX
ENGINEERS'
HAMMER



- > Drop-forged hammer head, black paint-finished, of heat-treated steel
- > Striking surfaces inductively case-hardened for tough long-term work
- > 360° clamping force of the tapered collar fixes the hammer head

WHILE STOCKS LAST

Code	No.	g	↳ mm	⚖
3300711	R92100008	200	280	0.264
3300714	R92100020	500	320	0.622

R9220XXXX
CLUB HAMMER



- > Drop-forged hammer head, black paint-finished, of heat-treated steel
- > Striking surface inductively case-hardened for tough long-term work
- > 360° clamping force of the tapered collar fixes the hammer head

Code	No.	g	↳ mm	⚖
3300726	R92200050	1250	260	1.350
3300728	R92200065	2000	300	2.110

R9216XXXX
BALL PEIN HAMMER
with hickory handle



- > Drop-forged hammer head of heat-treated steel
- > Carefully ground track and ball
- > Double-curved hickory handle
- > 360° clamping force of the tapered collar fixes the hammer head

Code	No.	g	↳ mm	⚖
3300766	R92160002	113	255	0.176
3300767	R92160003	227	290	0.340
3300768	R92160004	340	310	0.470
3300769	R92160005	453	330	0.640
3300770	R92160008	680	350	0.920
3300771	R92160010	907	390	1.060

R9128XXXX
BALL PEIN HAMMER
with fibreglass handle



- > Forged type from special steel
- > Fibreglass handle

Code	No.	g	↳ mm	⚖
3300761	R9128400280	200	315	1.00
3300762	R9128400282	300	320	1.00
3300763	R9128400284	500	340	1.00
3300764	R9128400287	700	345	1.00
3300765	R9128400300	1000	380	1.00

R92500058
RUBBER MALLET



- > Hard head made from hard rubber
- > Acc. to DIN 5128-90
- > With two flat striking surfaces
- > Straight Ash handle

WHILE STOCKS LAST

Code	No.	∅ mm	↳ mm	⚖
3300739	R9250008	58	315	0.520

STRIKING TOOLS

R92420023
CLAW HAMMER
American pattern



- > Forged type from special steel
- > Pein with nail extractor
- > track and tiller brightly ground
- > Rounded edges

Code	No.	∅ mm	g	oz	lbs	l mm	kg
3300782	R92420023	27	570	20	1.1/4 lbs	340	0.840

R92402024
CARPENTER'S HAMMER



- > Forged type, black paint-finished, from special steel
- > Rounded edges
- > Track with magnetic nail groove
- > Tubular steel handle with plastic grip
- > With head protection

WHILE STOCKS LAST

Code	No.	g	oz	lbs	l mm	kg
3300784	R92402024	600	21	1.1/4 lbs	330	0.810

R91990000
PROTECTIVE HAND GUARD
for chisels



- > Made of impact-resistant plastic
- > Avoids injuries of the hand
- > No rolling away (rectangular shape)
- > Oil-proof

Code	No.	for oval chisels	for 8-sided chisel	kg
3300827	R91990000	20x12 - 26x13mm	16-20 mm	0.140

R9114XXXX
FLAT CHISEL
flat oval



- > Chrome-vanadium steel
- > Cutting edge and head ground

WHILE STOCKS LAST

Code	No.	mm	Shaft thickness	l mm	kg
3300785	R91140016	15,0	9	125	0.100
3300786	R91140021	18,0	11	150	0.180
3300787	R91140026	21,0	12	175	0.28
3300788	R91140031	24,0	13	200	0.400
3300789	R91140041	25,0	13	250	0.500
3300790	R91140051	26,0	13	300	0.600

R9015XXXX
CENTRE PUNCH
octagonal



- > Striking end tempered
- > Vanadium Steel


Code	No.	∅	8-edge	l mm	kg
3300821	R90150415	4	10	120	0.080
3300822	R90150515	5	12	120	0.095

R90200006
PIN PUNCH SET
6 pieces



> In metal case with lid

WHILE STOCKS LAST

Code	No.	Contents	Pieces	
3300823	R90200006	Splinter driver Ø 3 4 5 6 7 8 mm	6	0.800

R90100006
DRIFT PUNCH SET
6 pieces



> In metal case with lid

WHILE STOCKS LAST


Code	No.	Contents	Pieces	
3300825	R90100006	Punches Ø 1 2 3 5 10 mm punch Ø 4 mm	6	0.720

R90000006
CHISEL AND PUNCH
SET
6 pieces



- > Striking ends tempered
- > Made from chrome-vanadium steel
- > In metal case with lid

WHILE STOCKS LAST

Code	No.	Contents	Pieces	
3300826	R90000006	Flat cold chisel- length 125 mm 150 mm Cross-cut chisel- length 125 mm Drift punch - Ø 3 mm Centre punch - Ø 4 mm Pin punch - Ø 4 mm	6	0.760

WWW.GEDORE.COM

MEASURING

*PRECISE
ASSISTANTS*



ACCURATE TO THE MILLIMETRE

- Easy-to-read and precise spirit levels, rulers and tape measures
- Practical additional functions for even easier and more accurate measuring and marking
- Digital measuring caliper - the solution for fast, uncomplicated, precise measurement, reading and transferring values

R9410XXXX
 SPIRIT LEVEL


- > Smooth square alloy profile
- > One vertical and one horizontal vial, acrylic glass
- > Measurement accuracy: +/- 0.5 mm/m

WHILE STOCKS LAST

Code	No.	↳ mm ▷	
3301422	R94100051	300	0.170
3301436	R94100075	600	0.260
3301423	R94100087	1.000	0.480

R9455XXXX
 TAPE MEASURE


- > Housing from 2-component ABS, fitted out with metal clip
- > Automatic tape rewind and lock
- > With magnetic stop
- > Accuracy class II with MID certificate

Code	No.	L m	mm	
3301427	R94550003	3	19	0.201
3301428	R94550005	5	19	0.265
3301429	R94550008	8	25	0.468

R945700XX
 TAPE MEASURE-
 LONG


- > Fiberglass tape measure housing
- > Scale in mm
- > Measuring capacity from 30m to 100m

Code	No.	L m	mm	
3301438	R94590030	30	13	0.500
3301439	R94590050	50	13	0.600
3301440	R94590100	100	13	1.200

R94420021
 DIGITAL MEASURING CALIPER


- > Large LCD display 30 x 10 mm, with automatic switch-off
- > Resetting possible at any position
- > With mm/inch switching
- > With crossbill
- > Connection to PC interface
- > Measured value fixation by locking screw

Code	No.	mm	
3301430	R94420021	153	0.340












































CUTTING, FILING

*VERSATILE
HELPERS*



CUTTING, SAWING, FILING, AND MORE

- Versatile range of large and small workshop helpers
- High-quality materials and robust designs

<p>R93210000 HEAVY-DUTY UTILITY KNIFE</p> 	<p></p> <ul style="list-style-type: none"> > Aluminium housing > Quick change mechanism of the blade > For right and left-handers > Supplied with one trapezoid blade and 4 spare trapezoid blades in cartridge 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>Designation</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>3301598</td> <td>R93210000</td> <td>Heavy-duty utility knife</td> <td>365</td> <td>0.31</td> </tr> </tbody> </table>	Code	No.	Designation			3301598	R93210000	Heavy-duty utility knife	365	0.31				
Code	No.	Designation														
3301598	R93210000	Heavy-duty utility knife	365	0.31												
<p>R93200010 UTILITY KNIFE</p> 	<p></p> <ul style="list-style-type: none"> > Blade 9 mm wide > Supplied with 5 spare blades (80mm long, 0.4mm thick) 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>Designation</th> <th></th> <th>↳ mm ↳</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301601</td> <td>R93200010</td> <td>Utility knife small with 5 blades 10 mm</td> <td>145</td> <td>9</td> <td>0.068</td> </tr> </tbody> </table>	Code	No.	Designation		↳ mm ↳		3301601	R93200010	Utility knife small with 5 blades 10 mm	145	9	0.068		
Code	No.	Designation		↳ mm ↳												
3301601	R93200010	Utility knife small with 5 blades 10 mm	145	9	0.068											
<p>R93200025 UTILITY KNIFE</p> 	<p></p> <ul style="list-style-type: none"> > With practical belt clip > Blade 25 mm wide > For right-handers > Supplied with 5 spare blades (125mm long, 0.5mm thick) 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>Designation</th> <th></th> <th>↳ mm ↳</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301605</td> <td>R93200025</td> <td>Utility knife with 5 blades 25 mm</td> <td>205</td> <td>25</td> <td>0.28</td> </tr> </tbody> </table>	Code	No.	Designation		↳ mm ↳		3301605	R93200025	Utility knife with 5 blades 25 mm	205	25	0.28		
Code	No.	Designation		↳ mm ↳												
3301605	R93200025	Utility knife with 5 blades 25 mm	205	25	0.28											
<p>R93250008 POCKET KNIFE</p> 	<p></p> <ul style="list-style-type: none"> > Blade locking feature > Two-handed operation > Secure in pocket and on belt; cannot be accidentally opened > With sawing function for fibrous materials eg. ropes and textiles 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>3301615</td> <td>R93250008</td> <td>87</td> <td>210</td> <td>0.154</td> </tr> </tbody> </table>	Code	No.				3301615	R93250008	87	210	0.154				
Code	No.															
3301615	R93250008	87	210	0.154												
<p>R93300031 UNIVERSAL SCISSORS</p> 	<ul style="list-style-type: none"> > Suitable for cutting seals and other materials (paper, cardboard, foil, leather etc.) > Additional small blade for thin wires and cables > With wire stripper for 1.0, 1.5 and 2.0 mm cables > For right and left-handers <p>WHILE STOCKS LAST</p>	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>Length of cutting edge</th> <th>Total length</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301607</td> <td>R93300031</td> <td>50</td> <td>205</td> <td>0.19</td> </tr> </tbody> </table>	Code	No.	Length of cutting edge	Total length		3301607	R93300031	50	205	0.19				
Code	No.	Length of cutting edge	Total length													
3301607	R93300031	50	205	0.19												
<p>R9331XXXX IDEAL PATTERN SNIPS</p> 	<ul style="list-style-type: none"> > Self-opening with installed spring, with lock > Induction-hardened precision cutting edges > 2-component-handle for a hands-friendly transfer of force > for stainless steel sheet up to 0,8 mm 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>Size</th> <th>Version</th> <th>Cutting edge length</th> <th>Total length</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301741</td> <td>R93310041</td> <td>10</td> <td>Right hand cutting</td> <td>30</td> <td>245</td> <td>0.41</td> </tr> </tbody> </table>	Code	No.	Size	Version	Cutting edge length	Total length		3301741	R93310041	10	Right hand cutting	30	245	0.41
Code	No.	Size	Version	Cutting edge length	Total length											
3301741	R93310041	10	Right hand cutting	30	245	0.41										

R99800000
MULTIFUNCTION
TOOL



- > Stainless steel
- > Blade locking feature
- > Ergonomic handle, gentle power transmission

Code	No.		
3301757	R99800000		0.21

R93350021
HACKSAW



- > Made of aluminium
- > Saw blade for different materials
- > Easy to tension and adjust

Code	No.	Designation	
3301609	R93350021	Small saw	0.22
3301610	R93990021	Saw blade	0.012

R93350051
MULTIFUNCTION
SAW



- > Saw blade and bow can be turned through 90° = saw blade parallel to the wall and floor
- > Bracket can be rotated 180°
- > Supplied with HSS bi-metal saw blade (24 tpi)

Code	No.	Designation	↳ mm ↲	
3301608	R93350051	Multifunctional saw	300	0.47

R9310XXXX
FILES



- > 2-component-handle for a hands-friendly transfer of force
- > 58 HRC
- > 14 teeth for every 10 mm

Code	No.	Designation	Slash			
3301591	R93100052	Triangular file	2	200	310	0.195
3301592	R93120052	Flat file	2	200	310	0.192
3301593	R93140052	Round file	2	200	310	0.124
3301594	R93160052	Half-round file	2	200	310	0.21
3301595	R93180052	Square file	2	200	310	0.124

R93000005
FILE SET



- > 2-component-handle, for easy handling
- > Made of special steel
- > In plastic bag

Code	No.	Contents	Pieces	
3301597	R93000005	Triangular file Flat file Round file Half-round file	5	0.82

R93000006
KEY FILE SET



- > With wooden handle
- > Made of special steel





























Code	No.	Contents	Pieces	
3301596	R93000006	Triangular file Flat file Round file Half-round file Square file	6	0.85

R93700043
WIRE BRUSH



- > carbon bristles
- WHILE STOCKS LAST

Code	No.	↳ mm ↲	
3301786	R93710043	285	0.12

<p>R93700043 WIRE BRUSH</p> 	<ul style="list-style-type: none"> > with wooden handle > brass bristles <p>WHILE STOCKS LAST</p>	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>↳ mm ↲</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301785</td> <td>R93700043</td> <td>285</td> <td>0.12</td> </tr> </tbody> </table>	Code	No.	↳ mm ↲		3301785	R93700043	285	0.12				
Code	No.	↳ mm ↲												
3301785	R93700043	285	0.12											
<p>R93600022 SMALL TUBE CUTTER</p> 	<ul style="list-style-type: none"> > For copper pipes 3-22 mm > With 2 supporting rollers > Metal housing > With knurled adjusting wheel 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>Size</th> <th>∅ mm</th> <th>↳ mm ↲</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301616</td> <td>R93600022</td> <td>1/8-7/8</td> <td>3-22</td> <td>60</td> <td>0.14</td> </tr> </tbody> </table>	Code	No.	Size	∅ mm	↳ mm ↲		3301616	R93600022	1/8-7/8	3-22	60	0.14
Code	No.	Size	∅ mm	↳ mm ↲										
3301616	R93600022	1/8-7/8	3-22	60	0.14									
<p>R99210000 CARTRIDGE CAULKING GUN</p> 	<ul style="list-style-type: none"> > For processing silicon, packed in bag or cartridge form, for 310 ml contents > With stable aluminium tube > Quick and easy cartridge change > Supplied with 3 tips 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>L</th> <th>H</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301753</td> <td>R99210000</td> <td>340</td> <td>210</td> <td>0.84</td> </tr> </tbody> </table>	Code	No.	L	H		3301753	R99210000	340	210	0.84		
Code	No.	L	H											
3301753	R99210000	340	210	0.84										
<p>R93400060 SCRAPER</p> 	<ul style="list-style-type: none"> > For minor improvements/repair > Apply, spread and smooth down > With wooden handle 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>Blade width</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301754</td> <td>R93400060</td> <td>60,0</td> <td>0.1</td> </tr> </tbody> </table>	Code	No.	Blade width		3301754	R93400060	60,0	0.1				
Code	No.	Blade width												
3301754	R93400060	60,0	0.1											
<p>R95300017 LED TORCH</p> 	<ul style="list-style-type: none"> > 2 levels of brightness plus warning/signal function > 1 W LED > Luminous flux 55-60 lm > Light range 25-30 m 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>L</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301755</td> <td>R95300017</td> <td>130</td> <td>0.156</td> </tr> </tbody> </table>	Code	No.	L		3301755	R95300017	130	0.156				
Code	No.	L												
3301755	R95300017	130	0.156											
<p>R93800125 VICE</p> 	<p></p> <ul style="list-style-type: none"> > Vise opening to the front > With anvil > Max. clamping force 25 KN 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>Version</th> <th>mm </th> <th></th> <th>NEW</th> </tr> </thead> <tbody> <tr> <td>3301737</td> <td>R93800125</td> <td>fix</td> <td>125</td> <td>19</td> <td></td> </tr> </tbody> </table>	Code	No.	Version	mm 		NEW	3301737	R93800125	fix	125	19	
Code	No.	Version	mm 		NEW									
3301737	R93800125	fix	125	19										





































1000 VOLT

UNCOMPROMISING PROTECTION



ON THE SAFE SIDE

- Extensive range of VDE-insulated tools
- Tools VDE-insulated according to DIN EN 60900
- Guaranteed protection while working under voltage up to 1000V AC (alternating voltage) and 1500V DC (direct voltage)

<p>R2930XXXX VDE COMBINATION PLIERS</p> 	 <ul style="list-style-type: none"> > Acc. to DIN ISO 5746 > Complies with VDE 0682 Part 201 and EN/IEC 60900 > With gripping zones for flat and round stock 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>l - mm - l</th> <th>Cutting power (max.)</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301408</td> <td>R29300180</td> <td>180</td> <td>1,6</td> <td>0.275</td> </tr> <tr> <td>3301409</td> <td>R29300200</td> <td>200</td> <td>1,8</td> <td>0.360</td> </tr> </tbody> </table>	Code	No.	l - mm - l	Cutting power (max.)		3301408	R29300180	180	1,6	0.275	3301409	R29300200	200	1,8	0.360
Code	No.	l - mm - l	Cutting power (max.)														
3301408	R29300180	180	1,6	0.275													
3301409	R29300200	200	1,8	0.360													
<p>R29400180 POWER SIDE CUTTERS</p> 	 <ul style="list-style-type: none"> > Acc. to DIN ISO 5749 > Complies with VDE 0682 Part 201 and EN/IEC 60900 > Slim head 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>l - mm - l</th> <th>Cutting power (max.)</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301410</td> <td>R29400180</td> <td>180</td> <td>1,6</td> <td>0.280</td> </tr> </tbody> </table>	Code	No.	l - mm - l	Cutting power (max.)		3301410	R29400180	180	1,6	0.280					
Code	No.	l - mm - l	Cutting power (max.)														
3301410	R29400180	180	1,6	0.280													
<p>R29500200 VDE TELEPHONE PLIERS straight</p> 	 <ul style="list-style-type: none"> > Acc. to DIN ISO 5745 > Complies with VDE 0682 Part 201 and EN/IEC 60900 > Straight grip surfaces, lengthways-serrated 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>l - mm - l</th> <th>Cutting power (max.)</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301411</td> <td>R29500200</td> <td>200</td> <td>1,8</td> <td>0.260</td> </tr> </tbody> </table>	Code	No.	l - mm - l	Cutting power (max.)		3301411	R29500200	200	1,8	0.260					
Code	No.	l - mm - l	Cutting power (max.)														
3301411	R29500200	200	1,8	0.260													
<p>R29510200 VDE TELEPHONE PLIERS bent</p> 	 <ul style="list-style-type: none"> > Acc. to DIN ISO 5746 > Complies with VDE 0682 Part 201 and EN/IEC 60900 > 45° angled grip surfaces, lengthways-serrated 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>l - mm - l</th> <th>Cutting power (max.)</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301412</td> <td>R29510200</td> <td>175</td> <td>1,8</td> <td>0.260</td> </tr> </tbody> </table>	Code	No.	l - mm - l	Cutting power (max.)		3301412	R29510200	175	1,8	0.260					
Code	No.	l - mm - l	Cutting power (max.)														
3301412	R29510200	175	1,8	0.260													
<p>R39002005 VDE SET 5 pieces</p> 	 <p>VDE screwdriver:</p> <ul style="list-style-type: none"> > For slotted head screws: Acc. to DIN 5264, DIN ISO 2380 > For cross-head screws PH: Acc. to DIN 7438, DIN ISO 8764 <p>VDE Side cutter:</p> <ul style="list-style-type: none"> > Acc. to DIN ISO 5749 <p>VDE Telephone pliers, straight:</p> <ul style="list-style-type: none"> > Acc. to DIN ISO 5745 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th>Contents</th> <th>Pieces</th> <th></th> </tr> </thead> <tbody> <tr> <td>3301414</td> <td>R39002005</td> <td>VDE Screwdriver slotted 3, 5,5 mm VDE Screwdriver cross-slotted PH 2 VDE Side cutter 180 mm VDE Telephone pliers 200 mm, straight pattern</td> <td>5</td> <td>0.833</td> </tr> </tbody> </table>	Code	No.	Contents	Pieces		3301414	R39002005	VDE Screwdriver slotted 3, 5,5 mm VDE Screwdriver cross-slotted PH 2 VDE Side cutter 180 mm VDE Telephone pliers 200 mm, straight pattern	5	0.833					
Code	No.	Contents	Pieces														
3301414	R39002005	VDE Screwdriver slotted 3, 5,5 mm VDE Screwdriver cross-slotted PH 2 VDE Side cutter 180 mm VDE Telephone pliers 200 mm, straight pattern	5	0.833													
<p>R93220028 VDE CABLE KNIFE</p> 	 <ul style="list-style-type: none"> > VDE-insulated acc. to DIN EN 60900 > with fixed, sturdy blade with straight cutter and protective cap > Straight cutting edge > With protective cap 	<table border="1"> <thead> <tr> <th>Code</th> <th>No.</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>3301415</td> <td>R93220028</td> <td>45</td> <td>185</td> <td>0.143</td> </tr> </tbody> </table>	Code	No.				3301415	R93220028	45	185	0.143					
Code	No.																
3301415	R93220028	45	185	0.143													

AUTOMOTIVE

*CLEVER
AUTOMOTIVE
ASSISTANTS*



SPECIAL TOOLS FOR MECHANICS

- Tools for steering and steering geometry, engines, gearboxes, bodywork and interior fittings
- Tool sets especially for the automotive sector

R15151000
HOSE CLAMP PLIERS SET

3 pieces



- > For disconnecting flexible hose lines
- > Adjustable locking device with latching function
- > Temperature resistant up to 160°

Code	No.	Tong lengths	for diameter	Pieces	
3301539	R15151000	160 mm 185 mm 225 mm	Ø up to approx. 60 mm	3	0.298

R15551000
OIL FILTER SPANNER



- > For safe, rapid unscrewing of oil filters
- > Continuously adjustable, hand-operated
- > Drive 1/2" according to DIN 3120 - C 12.5, ISO 1174, and SW 19 mm
- > Holding segments stop any slipping



Code	No.	Version	
3301540	R15551000	65 - 120 mm Ø	0.315

NEW

R15551001
OIL FILTER STRAP-WRENCH



- > For safe, rapid unscrewing of oil filters
- > Continuous adjustment of the filter belt
- > 1/2" Drive (12,5 mm)
- > Hand-operated



Code	No.	Ø mm	l mm	
3301541	R15551001	152	150	0.240

NEW

R19101001
HOOK SET

4 pieces



- > Assembly/disassembly of O-rings, seals in the areas of engine, transmission, steering and hydraulic systems
- > For work on the car body interior



Code	No.	Pieces	
3301548	R19101001	4	0.114

R19102000
MAGNETIC TRAY



- > Secure storage of small metal parts
- > Stainless steel
- > 2 extra strong rubber-protected magnets



Code	No.	L	H	W	
3301547	R19102000	240	46	140	0.744

R01700057
WHEEL SPANNER



- > Chrome-vanadium steel
- > Chrome plated

Code	No.	Ø mm	l mm	
3301453	R01700057	17 x 19 x 21 x 23	360	1.250

NEW

INSTORE MERCHANDISERS



INSTORE DISPLAY

- The right tool display for every store
- Rigid sheetmetal structure with CNC cut hanging holes

1-STAND
MERCHANDISING CONCEPT



PICTURES ARE FOR ILLUSTRATION PURPOSES ONLY.

- > Easy to assemble, rigid sheetmetal structure
- > Custom tool selection to fit your requirements
- > Black merchandiser with eye catching branding
- > Powder coated to prevent corrosion
- > Supplied with hanging hooks
- > Dimensions: W460 x H2040 x L950mm

DESCRIPTION	Code	DESCRIPTION	Code		
R09100060	Comb spanner 6mm	3300962	R62451510	Bit socket TX T27	3300393
R09100070	Comb spanner 7mm	3300963	R62451610	Bit socket TX T30	3300394
R09100080	Comb spanner 8mm	3300964	R62451810	Bit socket TX T40	3300395
R09100090	Comb spanner 9mm	3300965	R62451910	Bit socket TX T45	3300396
R09100100	Comb spanner 10mm	3300966	R62452110	Bit socket TX T50	3300397
R09100110	Comb spanner 11mm	3300967	R62452210	Bit socket TX T55	3300398
R09100120	Comb spanner 12mm	3300968	R62452310	Bit socket TX T60	3300399
R09100130	Comb spanner 13mm	3300969	R65200049	Sliding T-bar 300mm	3300408
R09100140	Comb spanner 14mm	3300970	R65100014	Socket ext. 75mm	3300403
R09100150	Comb spanner 15mm	3300971	R65100024	Socket ext. 125mm	3300404
R09100160	Comb spanner 16mm	3300972	R65100049	Socket ext. 250mm	3300406
R09100170	Comb spanner 17mm	3300973	R65300012	Universal joint 68mm	3300407
R09100180	Comb spanner 18mm	3300974	R49003016	Skt set 4-13mm 16pcs	3300050
R09100190	Comb spanner 19mm	3300975	49003033	Skt set 4-13mm 33pcs	3300051
R09100200	Comb spanner 20mm	3300976	R49005023	Skt set 6-13mm 23pcs	3300026
R09100210	Comb spanner 21mm	3300977	R69013024	Skt set 10-32mm 24pcs	3300056
R09100220	Comb spanner 22mm	3300978	R46003100	Skt set 10-32mm 100pcs	3300063
R09105017	Spanner set 17pcs	3300994	R38002006	S/driver set PH+SL 6pcs	3301270
R03100008	Adj. spanner w.25mm	3300997	R36605009	Allen Key set 1.5-10mm	3301331
R03100010	Adj. spanner w.30mm	3300998	R28302200	Comb pliers 200mm	3301125
R60000027	Revers.ratchet 1/2	3300410	R28422200	Side cutter 200mm	3301128
R61100806	1/2 bi-hex. 8mm	3300323	R28502200	Teleph.pliers 200mm	3301133
R61100906	1/2 bi-hex. 9mm	3300324	R28100010	Water pump pliers	3301175
R61101006	1/2 bi-hex. 10mm	3300325	R27200010	Grip wrench	3301178
R61101106	1/2 bi-hex. 11mm	3300326	R92160005	Ball pein	3300769
R61101206	1/2 bi-hex. 12mm	3300327	R92420023	Claw hammer	3300782
R61101306	1/2 bi-hex. 13mm	3300328	R94550003	Tape measure 3m	3301427
R61101406	1/2 bi-hex. 14mm	3300329	R94550005	Tape measure 5m	3301428
R61101506	1/2 bi-hex. 15mm	3300330	R93210000	Prof.cutter knife	3301598
R61101606	1/2 bi-hex. 16mm	3300331	61200506	Socket 1/2 TX E8	3300348
R61101706	1/2 bi-hex. 17mm	3300332	61200706	Socket 1/2 TX E10	3300349
R61101806	1/2 bi-hex. 18mm	3300333	61200806	Socket 1/2 TX E11	3300350
R61101906	1/2 bi-hex. 19mm	3300334	61200906	Socket 1/2 TX E12	3300351
R61102006	1/2 bi-hex. 20mm	3300335	61201106	Socket 1/2 TX E14	3300352
R61102106	1/2 bi-hex. 21mm	3300336	61201306	Socket 1/2 TX E16	3300353
R61102206	1/2 bi-hex. 22mm	3300337	61201506	Socket 1/2 TX E18	3300354
R61021612	S/plug socket 16mm	3300401	61201706	Socket 1/2 TX E20	3300355
R61022112	S/plug socket 20.8mm	3300402	61201807	Socket 1/2 TX E22	3300356
R62550510	Bit socket 1/2 5mm	3300359	61201907	Socket 1/2 TX E24	3300357
R62550610	Bit socket 1/2 6mm	3300360			
R62550710	Bit socket 1/2 7mm	3300361			
R62550810	Bit socket 1/2 8mm	3300362			
R62550910	Bit socket 9mm	3300363			
R62551010	Bit socket 10mm	3300364			
R62551110	Bit socket 11mm	3300365			
R62551210	Bit socket 12mm	3300366			
R62551410	Bit socket 14mm	3300367			
R62551710	Bit socket 17mm	3300368			
R62551910	Bit socket 19mm	3300369			
R62451310	Bit socket TX T20	3300391			
R62451410	Bit socket TX T25	3300392			

2-STAND
MERCHANDISING CONCEPT



PICTURES ARE FOR ILLUSTRATION PURPOSES ONLY.

- > Easy to assemble, rigid sheetmetal structure
- > Custom tool selection to fit your requirements
- > Black merchandiser with eye catching branding
- > Powder coated to prevent corrosion
- > Supplied with hanging hooks
- > Dimensions: W460 x H2040 x L1900mm

DESCRIPTION	Code	DESCRIPTION	Code	DESCRIPTION	Code	DESCRIPTION	Code
R09100060 Comb spanner 6mm	3300962	R07100190 Ratchet spanner 19mm	3300839	R62551410 Bit socket 14mm	3300367	R92160002 Ball pein 1/4lbs	3300766
R09100070 Comb spanner 7mm	3300963	R07100200 Ratchet spanner 20mm	3300840	R62551710 Bitt socket 17mm	3300368	R92160005 Ball pein 1lbs	3300769
R09100080 Comb spanner 8mm	3300964	R07100210 Ratchet spanner 21mm	3300841	R62551910 Bit socket 19mm	3300369	R92160008 Ball pein 1.1/2lbs	3300770
R09100090 Comb spanner 9mm	3300965	R07100220 Ratchet spanner 22mm	3300842	R62451310 Bit socket TX T20	3300391	R92420023 Claw hammer	3300782
R09100100 Comb spanner 10mm	3300966	R07100240 Ratchet spanner 24mm	3300843	R62451410 Bit socket TX T25	3300392	R94550003 Tape measure 3m	3301427
R09100110 Comb spanner 11mm	3300967	R03100008 Adj.spanner w.25mm	3300997	R62451510 Bit socket TX T27	3300393	R94550005 Tape measure 5m	3301428
R09100120 Comb spanner 12mm	3300968	R03100010 Adj.spanner w.30mm	3300998	R62451610 Bit socket TX T30	3300394	R94420021 Digital calliper	3301430
R09100130 Comb spanner 13mm	3300969	R03100012 Adj.spanner w.36mm	3300999	R62451810 Bit socket TX T40	3300395	R93210000 Prof.cutter knife	3301598
R09100140 Comb spanner 14mm	3300970	R60000027 Revers.ratchet 1/2	3300410	R62451910 Bit socket TX T45	3300396	R93200025 Cutter knife	3301605
R09100150 Comb spanner 15mm	3300971	R61100806 1/2 bi-hex. 8mm	3300323	R62452110 Bit socket TX T50	3300397	R93250008 Pocket knife	3301615
R09100160 Comb spanner 16mm	3300972	R61100906 1/2 bi-hex. 9mm	3300324	R62452210 Bit socket TX T55	3300398	R99800000 Multifunction tool	3301757
R09100170 Comb spanner 17mm	3300973	R61101006 1/2 bi-hex. 10mm	3300325	R62452310 Bit socket TX T60	3300399	R93100052 Triangular file cut	3301591
R09100180 Comb spanner 18mm	3300974	R61101106 1/2 bi-hex. 11mm	3300326	R65200049 Sliding T-bar 300mm	3300408	R93120052 Flat file cut	3301592
R09100190 Comb spanner 19mm	3300975	R61101206 1/2 bi-hex. 12mm	3300327	R65100014 Socket ext. 75mm	3300403	R93140052 Round file cut	3301593
R09100200 Comb spanner 20mm	3300976	R61101306 1/2 bi-hex. 13mm	3300328	R65100024 Socket ext. 125mm	3300404	R93160052 Half-round file cut	3301594
R09100210 Comb spanner 21mm	3300977	R61101406 1/2 bi-hex. 14mm	3300329	R65100049 Socket ext. 250mm	3300406	R93180052 Square file cut	3301595
R09100220 Comb spanner 22mm	3300978	R61101506 1/2 bi-hex. 15mm	3300330	R65300012 Universal joint 68mm	3300407	R93000006 Key file set 6pcs	3301596
R09100230 Comb spanner 23mm	3300979	R61101606 1/2 bi-hex. 16mm	3300331	R49003016 Skt set 4-13mm 16pcs	3300050	R93600022 Mini pipe cutter	3301616
R09100240 Comb spanner 24mm	3300980	R61101706 1/2 bi-hex. 17mm	3300332	49003033 Skt set 4-13mm 33pcs	3300051	R93400060 Scraper blade	3301754
R09100250 Comb spanner 25mm	3300981	R61101806 1/2 bi-hex. 18mm	3300333	R49005023 Skt set 1/4 6-13mm	3300026	R95300017 Torch light LED	3301755
R09100260 Comb spanner 26mm	3300982	R61101906 1/2 bi-hex. 19mm	3300334	R69013024 Skt set 1/2 10-32mm	3300056	61200506 Socket 1/2 TX E8	3300348
R09100270 Comb spanner 27mm	3300983	R61102006 1/2 bi-hex. 20mm	3300335	R46003100 Skt set 1/4+1/2	3300063	61200706 Socket 1/2 TX E10	3300349
R09100280 Comb spanner 28mm	3300984	R61102106 1/2 bi-hex. 21mm	3300336	R61208007 Skt set 1/2 TX 7pcs	3300028	61200806 Socket 1/2 TX E11	3300350
R09100290 Comb spanner 29mm	3300985	R61102206 1/2 bi-hex. 22mm	3300337	R62558110 S/driver bit sockets 1/2	3300027	61200906 Socket 1/2 TX E12	3300351
R09100300 Comb spanner 30mm	3300986	R61102306 1/2 bi-hex. 23mm	3300338	R62458107 S/driver bit sockets 1/2	3300029	61201106 Socket 1/2 TX E14	3300352
R09100320 Comb spanner 32mm	3300987	R61102406 1/2 bi-hex. 24mm	3300339	R69008012 Sockets+Ratchet 1/2	3300030	61201306 Socket 1/2 TX E16	3300353
R09105008 Spanner set 8pcs	3300988	R61102607 1/2 bi-hex. 26mm	3300341	R38002006 S/driver set PH+SL 6pcs	3301270	61201506 Socket 1/2 TX E18	3300354
R09105017 Spanner set 17pcs	3300994	R61102707 1/2 bi-hex. 27mm	3300342	R38920000 Ratchet screwdr. 13in1	3301337	61201706 Socket 1/2 TX E20	3300355
R09105012 Spanner set 12pcs	3300990	R61102807 1/2 bi-hex. 28mm	3300343	R36605009 Allen Key set 1.5-10mm	3301331	61201807 Socket 1/2 TX E22	3300356
R09105021 Spanner set 21pcs	3300991	R61103007 1/2 bi-hex. 30mm	3300345	R36675009 Allen Key set 1.5-10mm	3301335	61201907 Socket 1/2 TX E24	3300357
R07100080 Ratchet spanner 8mm	3300828	R61103207 1/2 bi-hex. 32mm	3300346	R28302200 Comb pliers 200mm	3301125		
R07100090 Ratchet spanner 9mm	3300829	R61021612 S/plug socket 16mm	3300401	R28422200 Side cutter 200mm	3301128		
R07100100 Ratchet spanner 10mm	3300830	R61022112 S/plug socket 20.8mm	3300402	R28502200 Teleph.pliers 200mm	3301133		
R07100110 Ratchet spanner 11mm	3300831	R62550510 Bit socket 1/2 5mm	3300359	R27160009 Pipe wrench 90° 9inch	3301204		
R07100120 Ratchet spanner 12mm	3300832	R62550610 Bit socket 1/2 6mm	3300360	R27160011 Pipe wrench 90° 11inch	3301205		
R07100130 Ratchet spanner 13mm	3300833	R62550710 Bit socket 1/2 7mm	3300361	R27160016 Pipe wrench 90° 16inch	3301207		
R07100140 Ratchet spanner 14mm	3300834	R62550810 Bit socket 1/2 8mm	3300362	R28100010 Water pump pliers	3301175		
R07100150 Ratchet spanner 15mm	3300835	R62550910 Bit socket 9mm	3300363	R27200010 Grip wrench 10inch	3301178		
R07100160 Ratchet spanner 16mm	3300836	R62551010 Bit socket 10mm	3300364	R92200050 Club hammer 1250g	3300726		
R07100170 Ratchet spanner 17mm	3300837	R62551110 Bit socket 11mm	3300365	R92200065 Club hammer 2000g	3300728		
R07100180 Ratchet spanner 18mm	3300838	R62551210 Bit socket 12mm	3300366	R92500058 Rubber mallet	3300739		

3-STAND
MERCHANDISING CONCEPT



PICTURES ARE FOR ILLUSTRATION PURPOSES ONLY.

- > Easy to assemble, rigid sheetmetal structure
- > Custom tool selection to fit your requirements
- > Black merchandiser with eye catching branding
- > Powder coated to prevent corrosion
- > Supplied with hanging hooks
- > Dimensions: W460 x H2040 x L2850mm

DESCRIPTION	Code	DESCRIPTION	Code	DESCRIPTION	Code	DESCRIPTION	Code
R09100060 Comb spanner 6mm	3300962	R07100190 Ratchet spanner 19mm	3300839	R62551410 Bit socket 14mm	3300367	R92200050 Club hammer 1250g	3300726
R09100070 Comb spanner 7mm	3300963	R07100200 Ratchet spanner 20mm	3300840	R62551710 Bitt socket 17mm	3300368	R92200065 Club hammer 2000g	3300728
R09100080 Comb spanner 8mm	3300964	R07100210 Ratchet spanner 21mm	3300841	R62551910 Bit socket 19mm	3300369	R92500058 Rubber mallet	3300739
R09100090 Comb spanner 9mm	3300965	R07100220 Ratchet spanner 22mm	3300842	R62451310 Bit socket TX T20	3300391	R92160002 Ball pein 1/4lbs	3300766
R09100100 Comb spanner 10mm	3300966	R07100240 Ratchet spanner 24mm	3300843	R62451410 Bit socket TX T25	3300392	R92160005 Ball pein 1lbs	3300769
R09100110 Comb spanner 11mm	3300967	R03100008 Adj.spanner w.25mm	3300997	R62451510 Bit socket TX T27	3300393	R92160008 Ball pein 1.1/2lbs	3300770
R09100120 Comb spanner 12mm	3300968	R03100010 Adj.spanner w.30mm	3300998	R62451610 Bit socket TX T30	3300394	R92420023 Claw hammer	3300782
R09100130 Comb spanner 13mm	3300969	R03100012 Adj.spanner w.36mm	3300999	R62451810 Bit socket TX T40	3300395	R94100051 Spirit level 300mm	3301422
R09100140 Comb spanner 14mm	3300970	R60000027 Revers.ratchet 1/2	3300410	R62451910 Bit socket TX T45	3300396	R94550003 Tape measure 3m	3301427
R09100150 Comb spanner 15mm	3300971	R61100806 1/2 bi-hex. 8mm	3300323	R62452110 Bit socket TX T50	3300397	R94550005 Tape measure 5m	3301428
R09100160 Comb spanner 16mm	3300972	R61100906 1/2 bi-hex. 9mm	3300324	R62452210 Bit socket TX T55	3300398	R94550008 Tape measure.8m	3301429
R09100170 Comb spanner 17mm	3300973	R61101006 1/2 bi-hex. 10mm	3300325	R62452310 Bit socket TX T60	3300399	R94420021 Digital calliper	3301430
R09100180 Comb spanner 18mm	3300974	R61101106 1/2 bi-hex. 11mm	3300326	R65200049 Sliding T-bar 300mm	3300408	R93210000 Prof.cutter knife	3301598
R09100190 Comb spanner 19mm	3300975	R61101206 1/2 bi-hex. 12mm	3300327	R65100014 Socket ext. 75mm	3300403	R93200010 Cutter knife 9mm	3301601
R09100200 Comb spanner 20mm	3300976	R61101306 1/2 bi-hex. 13mm	3300328	R65100024 Socket ext. 125mm	3300404	R93200025 Cutter knife	3301605
R09100210 Comb spanner 21mm	3300977	R61101406 1/2 bi-hex. 14mm	3300329	R65100049 Socket ext. 250mm	3300406	R93250008 Pocket knife	3301615
R09100220 Comb spanner 22mm	3300978	R61101506 1/2 bi-hex. 15mm	3300330	R65300012 Universal joint 68mm	3300407	R99800000 Multifunction tool	3301757
R09100230 Comb spanner 23mm	3300979	R61101606 1/2 bi-hex. 16mm	3300331	R49003016 Skt set 4-13mm 16pcs	3300050	R93350051 Multifunction saw	3301608
R09100240 Comb spanner 24mm	3300980	R61101706 1/2 bi-hex. 17mm	3300332	R49003016 Skt set 4-13mm 16pcs	3300050	R93100052 Triangular file cut	3301591
R09100250 Comb spanner 25mm	3300981	R61101806 1/2 bi-hex. 18mm	3300333	R49003016 Skt set 4-13mm 16pcs	3300050	R93120052 Flat file cut	3301592
R09100260 Comb spanner 26mm	3300982	R61101906 1/2 bi-hex. 19mm	3300334	R49005023 S/driver bit sockets 1/2	3300026	R93140052 Round file cut	3301593
R09100270 Comb spanner 27mm	3300983	R61102006 1/2 bi-hex. 20mm	3300335	R69013024 Skt set 1/2 10-32mm	3300056	R93160052 Half-round file cut	3301594
R09100280 Comb spanner 28mm	3300984	R61102106 1/2 bi-hex. 21mm	3300336	R69013024 Skt set 1/2 10-32mm	3300056	R93180052 Square file cut	3301595
R09100290 Comb spanner 29mm	3300985	R61102206 1/2 bi-hex. 22mm	3300337	R46003100 Skt set 1/4+1/2	3300063	R93000006 Key file set 6pcs	3301596
R09100300 Comb spanner 30mm	3300986	R61102306 1/2 bi-hex. 23mm	3300338	R46003100 Skt set 1/4+1/2	3300063	R93600022 Mini pipe cutter	3301616
R09100320 Comb spanner 32mm	3300987	R61102406 1/2 bi-hex. 24mm	3300339	R61208007 Skt set 1/2 TX 7pcs	3300028	R93400060 Scraper blade	3301754
R09105008 Spanner set 8pcs	3300988	R61102607 1/2 bi-hex. 26mm	3300341	R62558110 S/driver bit sockets 1/2	3300027	R95300017 Torch light LED	3301755
R09105017 Spanner set 17pcs	3300994	R61102707 1/2 bi-hex. 27mm	3300342	R62458107 S/driver bit sockets 1/2	3300029	61200506 Socket 1/2 TX E8	3300348
R09105012 Spanner set 12pcs	3300990	R61102807 1/2 bi-hex. 28mm	3300343	R69008012 Sockets+Ratchet 1/2	3300030	61200706 Socket 1/2 TX E10	3300349
R09105021 Spanner set 21pcs	3300991	R61103007 1/2 bi-hex. 30mm	3300345	R38002006 S/driver set PH+SL 6pcs	3301270	612020806 Socket 1/2 TX E11	3300350
R07100080 Ratchet spanner 8mm	3300828	R61103207 1/2 bi-hex. 32mm	3300346	R38920000 Ratchet screwdr. 13in1	3301337	61200906 Socket 1/2 TX E12	3300351
R07100090 Ratchet spanner 9mm	3300829	R61021612 S/plug socket 16mm	3300401	R36605009 Allen Key set 1.5-10mm	3301331	61201106 Socket 1/2 TX E14	3300352
R07100100 Ratchet spanner 10mm	3300830	R61022112 S/plug socket 20.8mm	3300402	R36675009 Allen Key set 1.5-10mm	3301335	61201306 Socket 1/2 TX E16	3300353
R07100110 Ratchet spanner 11mm	3300831	R62550510 Bit socket 1/2 5mm	3300359	R28302200 Comb pliers 200mm	3301125	61201506 Socket 1/2 TX E18	3300354
R07100120 Ratchet spanner 12mm	3300832	R62550610 Bit socket 1/2 6mm	3300360	R28422200 Side cutter 200mm	3301128	61201706 Socket 1/2 TX E20	3300355
R07100130 Ratchet spanner 13mm	3300833	R62550710 Bit socket 1/2 7mm	3300361	R28502200 Teleph.pliers 200mm	3301133	61201807 Socket 1/2 TX E22	3300356
R07100140 Ratchet spanner 14mm	3300834	R62550810 Bit socket 1/2 8mm	3300362	R27160009 Pipe wrench 90° 9inch	3301204	61201907 Socket 1/2 TX E24	3300357
R07100150 Ratchet spanner 15mm	3300835	R62550910 Bit socket 9mm	3300363	R27160011 Pipe wrench 90° 11inch	3301205		
R07100160 Ratchet spanner 16mm	3300836	R62551010 Bit socket 10mm	3300364	R27160016 Pipe wrench 90° 16inch	3301207		
R07100170 Ratchet spanner 17mm	3300837	R62551110 Bit socket 11mm	3300365	R28100010 Water pump pliers	3301175		
R07100180 Ratchet spanner 18mm	3300838	R62551210 Bit socket 12mm	3300366	R27200010 Grip wrench 10inch	3301178		

A	
Adjustable Spanners	13
Allen Key Sockets 1/4"	16
Allen Key Sockets 1/2"	19
Allen Key Socket Set 1/2", 10pc	30
Allen Key Sets, 9pc	36-37
B	
Bit Holder 1/4"	17
Bit Ratchet Set 1/4", 23pc	26
Bit Box 1/4", 32pc	37
Bit Set 10 MM SK/XZN/TX, 40pc	37
Ball Pein Hammer, Hickory Handle	45
Ball Pein Hammer, Fibreglass Handle	45
C	
Combination Ratchet Spanners	11
Combination Ratchet Spanner Sets	12
Combination Spanners	11
Combination Spanner Sets	11
Combination Pliers	39
Circlip Pliers External, Straight	40
Circlip Pliers External, Angled	40
Circlip Pliers Internal, Straight	40
Circlip Pliers Internal, Angled	41
Circlip Pliers Set, 4pc	41
Club Hammer	45
Claw Hammer	46
Carpenter's Hammer	46
Centre Punch	46
Chisel & Punch Set, 6pc	47
Cartridge Caulking Gun	53
D	
Double Ring Spanners	12
Double Ring Spanner Sets	13
Double Open-Ended Spanners	13
Double Open-Ended Spanner Sets	13
Driving Handle 1/4"	16
Drift Punch Set	47
Digital Measuring Caliper	49
E	
Engineers' Hammer	45
Extendable Shank Screwdriver 13 In 1	36
F	
Female TORX® Sockets 1/4"	15
Female TORX® Sockets 1/2	20
Female TORX® Socket Set 1/2", 7pc	31
Flat Chisels	46
Files	52
File Set	52
G	
Grip Wrench	43
Grip Wrench Set	43
H	
Half-Moon Ring Spanners	13
Heavy-Duty Utility Knife	51
Hacksaw	52
Hose Clamp Pliers Set, 3pc	57
Hook Assortment, 4pc	57

I	
Ideal Pattern Snips.....	51
Impact Socket Set.....	31
Impact Wrench Socket Set	31
K	
Key File Set.....	52
L	
LED Torch	53
M	
Male TORX® Sockets 1/4".....	15
Male TORX® Sockets 1/2	22
Male TORX® Socket Set 1/2", 26pc.....	30
Male TORX® Socket Set 1/2", 7pc.....	30
Magnetic Tray	57
Multifunction Saw	52
Multifunction Tool.....	52
Merchandise Concepts.....	59
O	
Oil Filter Spanner	57
Oil Filter Strap Wrench.....	57
P	
Power Side Cutter.....	39
Power Wrench Socket Set	31
Pliers Set	39
Pipe Wrench-Swedish Pattern	41
Pipe Wrench-American Pattern.....	42
Protective Hand Guard.....	46
Pin Punch Set.....	47
Pocket Knife	51
Q	
Quick-Change Bit Holder 1/4".....	17
R	
Ratchet Handle With Coupler 1/2"	18
Reversible Ratchets 1/4"	15
Reversible Ratchets 3/8".....	17
Reversible Ratchet 1/2"	19
Riveter.....	42
Rubber Mallet	45
S	
Square Drive Adapter Set, 4pc.....	12
Sockets 1/4".....	15
Sliding T-Bar with Slider 1/4"	16
Socket Extensions 1/4"	16
Socket Holder 1/4".....	17
Sockets 3/8".....	18
Sliding T-Bar with Slider 3/8".....	18
Socket Extensions 3/8".....	18
Swivel-Head Telescopic Ratchet.....	19
Sockets 1/2".....	20, 21
Spark Plug Socket 1/2"	21
Sliding T-Bar with Slider 1/2".....	22
Socket Extensions 1/2".....	22
Socket Sets 1/4"	25
Socket Sets 3/8"	26
Socket Sets 1/2"	26, 31

Socket Sets 1/4" + 1/2" 27, 28, 29

Socket Set 1/4" + 3/8" + 1/2"..... 28

Screwdriver Sets 35

Screwdriver Maximus 36

Spirit Levels 49

Small Tube Cutter..... 53

Scraper 53

T

Tool Assortment 1/4" + 1/2", 113pc..... 4

Tool Assortment , 119pc 6

Tool Assortment 1/2", 62pc..... 3

Tool Assortment 1/2", 65pc..... 3

Toolbox..... 9

Tool Chest..... 9

Tool Chest, Wingman 9

Tool Trolley, Mechanic..... 9

Telescopic Ratchet 1/2" 19

Tool Set T-Handle With Ratchet 1/4", 37pc 25

Torque Wrenches 33

T-Handle Cranked Socket Key Set, 6pc 36

Telephone Pliers 39

Tower Pincer..... 40

Tape Measures 49

Tape Measures-Long 49

Tube Cutter 53

U

Universal Set All-In 1/2", 108pc 4

Universal Tool Assortment 1/2", 65pc..... 3

Universal Joint 1/4" 16

Universal Joint 1/2" 22

Utility Knife, 9mm..... 51

Utility Knife, 25mm 51

Universal Scissors 51

V

Vice 53

VDE Combination Pliers..... 55

VDE Power Side Cutter..... 55

VDE Telephone Pliers..... 55

VDE Set, 5pc 55

VDE Cable Knife..... 55

W

Workshop Toolkit 1/4" + 3/8" + 1/2", 218pc 5

Workshop Trolley Mechanics..... 9

Workshop Trolley, Wingman 9

Water Pump Pliers 42


Wire Brush-Brass Bristles..... 53

Wire Brush-Carbon Bristles..... 52

Wheel Spanner..... 57



Brands of the GEDORE Group: GEDORE | GEDPORE red | Ochsenkopf



GEDORE 

HEAD OFFICE & FACTORY

Durban

103 Qashana Khuzwayo Road, New Germany, 3610
PO Box 68, New Germany, 3620
Tel: +27 (0)31 705-3587
Fax: +27 (0)31 705-3277

Email: sales@gedore.co.za /
exports@gedore.co.za
Website: www.gedore.co.za

SALES OFFICE

Johannesburg

26 Village Crescent, Linbro Business Park
PO Box 72, Linbro Park, 2065
Tel: +27 (0)11 608-5959
Fax: +27 (0)11 608-2953

SALES OFFICE

Cape Town

Unit 3, Cedras Park, Cincaut Crescent,
Saxenburg Industrial Park, Blackheath
PO Box 37299, Chempet, 7442
Tel: +27 (0)21 529-6360



www.facebook.com/gedoretoolssouthafrica